

Magnum et universale astrolabium notam faciens et demonstrans longitudinem ...

1. [Notice](#)

This book was produced in EPUB format by the Internet Archive.

The book pages were scanned and converted to EPUB format automatically. This process relies on optical character recognition, and is somewhat susceptible to errors. The book may not offer the correct reading sequence, and there may be weird characters, non-words, and incorrect guesses at structure. Some page numbers and headers or footers may remain from the scanned page. The process which identifies images might have found stray marks on the page which are not actually images from the book. The hidden page numbering which may be available to your ereader corresponds to the numbered pages in the print edition, but is not an exact match; page numbers will increment at the same rate as the corresponding print edition, but we may have started numbering before the print book's visible page numbers. The Internet Archive is working to improve the scanning process and resulting books, but in the meantime, we hope that this book will be useful to you.

The Internet Archive was founded in 1996 to build an Internet library and to promote universal access to all knowledge. The Archive's purposes include offering permanent access for researchers, historians, scholars, people with disabilities, and the general public to historical collections that exist in digital format. The Internet Archive includes texts, audio, moving images, and software as well as archived web pages, and provides specialized services for information access for the blind and other persons with disabilities.

Created with hocr-to-epub (v.1.0.0)

This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online. It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover. Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you. Usage guidelines Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying. We also ask that you: + Make non-commercial use of the files We designed Google Book Search for use by individuals, and we request that you use these files for Personal, non-commercial purposes. + Refrain from automated querying Do not send automated queries of any sort to Google's System: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help. + Maintain attribution The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it. + Keep it legal Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe. About Google

Book Search Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at [http : //books . google . corn/](http://books.google.com/)

The text on this page is estimated to be only 0.00% accurate

$\wedge i \wedge - \wedge l . l V J \wedge$

The text on this page is estimated to be only 6.50% accurate

v^%^ lf1a.40Ol| 'M/é- /<^^^ ■ ^ - ■ 9S1' UNIVERSITEI

The text on this page is estimated to be only 6.39% accurate

"^m^ 44' ; <,•;■ - /.. 0 ' ? <v. ^:vr^'7. / ; 7 . o O r Digitized by
LjOOQIC

The text on this page is estimated to be only 15.50% accurate

•1 V Digitized byLjOOQlC

The text on this page is estimated to be only 10.08% accurate

MAGNUM ET UNIVERSALE ASTROLABIUM NOTAM
FACIENS 9 ET DEMONSTRANS LONGITUDINEM LOCORUM Terrarum
Marique, MEDIANTIBUS STELLIS. Elucidatum per Petrum P. F.
FULGENTIUM BOTTENS Ordinis Fratrum Minorum Regule Sacre theologie,
Jubilaei 1300^{ti} Ordinis jubilaris. M. H. BRUGIS FLANDRORUM 1711.
Typis Petri vande Cappelle, ad insignem Nominis JKSU.
Cum Licentia Superioris Approbationibus necesse, Digitized by Google.

The text on this page is estimated to be only 10.00% accurate

■xm 'I-' t' \ Digitized byLjOOQlC

The text on this page is estimated to be only 3.19% accurate

t^ ;hv^x'.S. A N e.T- I-S SI M-'o- :■' " ^ - ^OMtH^O: KO ^ 1^ R
O <) g^ON TIFI€I ■n ^'.^^'A f Vî"^^*•^r^." :M^A^^XI-^^0^:-> 1\ ,. \ Uï
mv\Q^r\t Mare V entrent p€i j rricula éjus , tnqmt l'écLiô: 4f. >' x'ïS. M/x
é'^i^^ enàrrdntibus ^tot '^^Ij^ tanta èffe iffteUtgimus ^ ut herîto
uminKfuemque à Navigaîmè Mà^ rinâ efficaciterdeterre vakreHt
ifiépntft^ • a^^v;^ rent Digitized byLjOOQlC



The text on this page is estimated to be only 10.52% accurate

rent alia quædam , quæ ad hanc magis aīi[^] ceret vel cogērent.
Inter pertuLa ifti^{^^} non minima , nec infrequentia fnt ea , fn quie imtdunt
ex ignorantia Longitudinjs {ut ajunt) Locorum \per quamutique /cire
4ebent quantum à primo Mertdtano decli[^] lient vetjīs Orientemtē Occident
em : hoc enim nejcientes [^] (fpe cantingit errare y [^] hinc inde in vaftis IUis
Marium Jpatiisva[^] gari cum magna damno , imb tē perire : quoi {ut ipfimet
fatentur) centents navibus con[^] tingit. Vnde faifum eft , ut cognttio Longi t
udinis fimper habita fit mammi fonder is (ē moment i , [^] ab omni parte
māximr. là* toratumfit (etiam magnis pfopofitis pfa[^] miis) ut aliquid
inveniaturqup mediante[^] tamquam certa[^] firmâ régula [^] iUa acqsà[^] rdtur.
Verum y ficut cognitio iUa eft maximipon[^] deris [^]tf[^]omenti , fie aliquid
fimile inveni[^] re eft maximt laboris , moleftiſ maxime , Ç5 difficuUatis.
Imo parum ūbeft , quin dica[^] mus mpofiibile ep aliquid invenire incœlo[^]
velin Terra , per qmd il{a, açquii[^]atfr t foftquam tōt praclara ingenta y per
tōt an[^] norumfpatiay tanto labore[^] tanto ftudio ,
tnmhngdinquifitÈone[^].finùk^{^^^^^} f[^] tenfam[^] l[^]ba[^]iemis[^]nm hmenerun[^].
[^] . fl^{^^}bilmî[^]às^{^^^^} wmpatîmi[^]i[^]i[^]ommune>h(mnmy volui ai
[^]uid(îmik\qifarere:. S? licpT4 di[^]cuh \ , menti Digitized byLjOOQ1C

The text on this page is estimated to be only 11.83% accurate

fia. Orat. pKo DEF. Moⁱjiçiquam qnod à perfeâis reïiëiumfft ,
re pg<iitpuenMji5,^i in id quod prsBtercurfum ell à lapienii-; bus, incidunt
idiots ;& quod occulratuni çfl msy^{tr}is , comparait dilcipulis. Vft^{if} /biens
quod gratta 'DetnuUirei aUigatafit., fed quem vult[^] fê in quibus vult,
iUumi. \$utt (sjus impU[^]Q atmçiliû f ® (ufAero) \ oktento , ineep quarere
, H videor mhi (ni[^] :fi blandus impoftor Amor froproprius mefaU
(at)aliquidcertumj ne dicam certiffimum, invenifeifciUcet A^r Magnum et
UniverSALB ASTROLABiuM quoddeclorare & demon[^] Jirare aggreé^l
4M9d![^]is oftendtt non tantum Latitudinem hcorum , /èd etiam
lMs[^]mmm[^]ferYâme^tlpilc tH»m mun[^] ^&»,y qu4.imâ[^]lHfl(0gftitâ
."fi[^]giimus digito oftendere , in quo loco velfunêfo Sphara vel mundi de
foBo fimus : quod nobis vel uhica Stella nota praftare foteft : Infuper tè
oftendere errores Geographia Moderna , Qf quonam modo corrigi debeant ;
ac novafieri pojitt Cœlo Aflrifque conformis. Accipe igitur gratdnter B.'P.
parvumbioei munufculum, à MinorttmmtAimoobl[^]mi quodJicutaliis,
îc&SKscriTATJS suje Tri[^] remibus ac navibus quas habet in mari , pro»
deffe pofftt\ licet indubiè de his minor cura fit , refpeBu iUius quam habet ,
de Pétri ««««viculâ , quam gubernandam Jiêfiepit , inter fericuU[^] fluHus
tempfiuoji maris hujus feculi[^] Digitized byLjOOQlC

The text on this page is estimated to be only 3.79% accurate

fieeuUy féliciter ^irigeniâ; ttfihaBenfls i 7)eû doHte 9 ficitî
ntiHam @f Uj^e adafÀoà VesRiJic facere f ergot. Ita Vdvet ; (^ Sanctitatis
tvs^^'^\'^^ îR'v;^^ • 'v\? xvWumîll FiliusT,> ' '^A •^vv^ ff.
FULGENTTUS BOTTENS. ^L Ord. FF. Minorum Recolleft#
FlandriâiLMarta .*^^5»y,^M .U. i , tK^ù\v':>v^nm^ ?7ï*» TiT^/ -.^ ti^^
*^^^ . '-^uV ^XK^ \"r% Digitized byLjOOQlC

The text on this page is estimated to be only 6.92% accurate

MAGNUM ET UNIVERSALE ASTROLABIUM UQtam faciens
y ^ lyemonfrans Longi^ tudinem locarum Terra Manque mediantibus
Stellis. Qutfnamfit ejus Auélor , £^ qntdnam iiii Jiu Oc admirabile
Inftrumntum non est manibus humanis., aut alius Creatur» operâ fabrica*
?um, fed omnîpotenu Manu Alrîffimî; & non est ullô creato intelleû
adinventum, fed Jpfius Creatoris omrîum înfi* nîâ Sapientiâ : arque ita
diTpo* fitum & ordinatum, ut prâeter alias plures cognitiões, etiam hanc
(quant quagrimus) Lone;itudinis Locorum, ex îpro,&pcripfumacquîrere
poflîmus: Qui çtendit Co^ los folus , y ^raditur fuper fluéius Mans : qui
facit Arcturum ^ Orioua^ Êjf tisH^f-, àf interiora Auftri- Qui J4fif »iag9f4
i^ iHCQmùrehf/fiilia , iff mirabilia quorum pm ^fl numerus^ ut dîcîtur
loB cap, 9 Qui Omnia in pienfiara Isf numéro £«f fopdere difpnfuit Sap. II.
xi. Ip. îe îf^ijç hoc feçit> quando I» Principio creavit Cœiu*ft ^ Terram (
Genes^ i.) & oitinia îlla casletHa lumtlwid^ySoletn, I«fUnani & Sjtellas,
urnobis infervirent<j^ ^jforeni fyj^4^: t«d quorum omiiîum fii^na fntj
bac|tcutt(^cqui ^9i\ pçKuioiUS. Sciiinu^ quidem quod fint A %na Digitized
byLjOOQlC

The text on this page is estimated to be only 19.04% accurate

% MAGNUMt ET UnIVERSALE figna Tcporum, Annorum, Meofium, Oienim,ho^ rarum tam de die quam de ooâe, &c. fed quod fint figna Longittidinis locorum , hue ufque nefcivlmus, Icaque magnum hoc Astrolabium, nihil aliud eft^ quam magnailla Machina Cœlorum, Solis, Luns& Stel« larum: atque eiiam Terras, quas ii^ medio ilHus pen« det, ponderibus librata fuis, firma & immobilis de loco fuo : qus eft quaii cemrum illomm, circa auod continue gyrantur, & curfum fuum pera^unt. Unde patet, quod merito MagnnmvocfXxkx: (icut edam Uni* Vfr/2(/^,qufanoneftprouna fola re vel nodtiâ, fed pro omnibus qus diâas Materias tangunt; ne^ue pro unô folo locof fed prototo Orbe terrarum, demonftrans ubique^ non tantum latitudinem locorum (èd etiam Longitudinem: quâ utraque cognitâ poffimus.digito oftendere în quo punâo vel loco Sphan-as veimndtde faâo iimus : quod nobis vel unica Stella nota prae(lare poteft.utiia hoc libello, Deo favente,clariffimèoea« dttur/ Sed non dubito quin muUorum ingeniis, dum vel Tîtulum folum îpfius înfîdent, mîr\yn & încredîbîlc (& forte ctîam împoffîbile)apparebît, perStellas,quaB numquam ftatiles funt, fed cohtînuô longiùs ac lonfiùs currunt, invenîre modum, quô noftra în terrfc .ongîtudo, firmâ ac certâ régula deçrehcndatur. Verùm efl quod prima fronte ac primo intuitu talia facile poffint încîdere; fed dum res attenté înfpicîtui , ma^is ac magis cognofciiur, & clariùs cernîtur, non tantùm cfTe poffibile, fed etiam de faâo îta cffe; ita ut alîcui forte vîderi poffit , Donînum Deum curlum Stella* rum & Solis talî modo ordinaflTe & regulaffe eo fînc^ ut lis mediântibus Longitudinem Locorum nobîs faceret innotefcere. Quando m ordine ad hoc comprehendendum începi attenté confîdere & rimarî magnam îllam Machinam, & fîngularîter mîrabile illud Firmamentum, cum îllo fuo înnumerabîlî exercitu Stellarum , cum tam mira dîfpofîtione, ordîne & unîformîtate procedentem fingulîs diêbus ad 4. minuta (quae gradum unum tacîunt) longiùs verfùs occidentem; Infuper Circulum iUum Zodiacum în 12. paries feu figna, & horum quodlibet în 30. Ptadus dîvifum: & quomodo în lîngulîs fignij & Digitized byLjOOQIC

The text on this page is estimated to be only 13.68% accurate

ASTROLABIUM. 3 & gradibas eorum lint Stella; , qus cum Sole
camint, & quomndo (latis & determinatîs temporibus, in flatis ac
determinatis locis fe nopsis oftendani ; hsc, înquam , «trente conliderando
incepti videre, quôd fit poflibile talem regulam per Stellas invenire» îmb
illud non tantum poflibile yfed etîam facile eflb deprehendi. Quâm facile
enim non poflèt quirpiam,' habens aliquam notitiam curfus Sohs ac
Stellarum, cogitare apud fe, & (ic difcorrere.* Video qnèi SteÛa fingulis
diehus lonjriàs progredtantur nfrfàs ocçidem\$em : ^ quèd SteBa qua hoc
noOe hôrâ 1 2. eft im meo MeriMamOy crafîsnâ noae ad 4, minuta ulte*
rinsprogrefjaeritj ^ tertia die ad 8. min* (^ 4. ad tz. (sf fie confequenter :
Jcio etiam qmd ^ minuta faciant mnum Gradum: (^ tandem in fine auns
video i/iam Stel* lam iterum in meo Meridiano in fuo primo loco. Ergo
Jpatio tntegri anni perambulavit totum ambitum Coell 1^ terrte , feu
Cfreulum Lonvitudinis eœleftis isf terre/iris 3 'io. (gradurnm^ iff fpatio
medsi anni médium Circulum iSoi» Cr. ^ potuit videri infra nos , in alto
Hemijphario^ in noftro meridiano^ ^c. ergo Stella qua prima dieeratin meo
Gradn^ feu i. Gradu Ctrcult Longttudinis ^ h^c fe* eunda die fuit in 2*
Gradu y tertia in tertio isf fie confe^ ûuenter per totum Circulum
Longitudinis Ergo ulterius hf confequenter fcioj quod fpatio 60 ^G. aierum^
ad 60 Gradus procèfferii ; atque ego etiam ad totidem Gra* dus
Longitudinis^ dtntipfam tune inmeO Mertydiano con^ fpicio: ^ fie
confequenter per totum annum^ percurrendo omnes Gradus Longitudnts :
ergo clarum i^certum efl fer SteUas poffe eognofci Longitudinem^ Talis
difcurfus facile formari poteft à quolibet, etîam medtocris ingenii, & ci^è
odeiidit , illud quod hic dooemus, non ttk impoflihile fed valde facile;
itaatmi*rum fit quod tôt pr^clara ingénia» per tôt annorum curriculâ, per tôt
millîa (ne dicam mîllîones) oblerv^tîonum, quas Mathema^îci, & nautae
prafertim in Mari fecerunt & faciunt , nondûin vîdcrîniquod Stell» poffint
efle notas Longitudinom Mirum quod non incident mis ifla aut fîmîiis
cogitatio,ticu^nihiincid;r. Verum ifte contrarias curfus Circuli Longitudinis
ài occidente in orieniem videtur ipfos detiûujfrene(iij)!iia co^tarenî; deiude
ipfi tantum confideraruii curibm ... A ^ Stellaiuii Digitized byLjOOQlC

The text on this page is estimated to be only 9.51% accurate

4 Magnum et Unīversale Stellarum & Alcenīionem reāam,
fecuodūm T^{mpuf} & Hūras ^ ui pei cas poflent fcīre horam de iide : noa
au:em videiucs quod non folum fempus dénotent 9 (ei €tiām
tocunsyLofigitudinem, & diflanīiam abinitioillius. Circuli nobis iudiCent ;
inceptimus illis uti ad iūm fīuem Icaque piadiāum difcurlum & (imiles
uerando» & Solis ac Stellarum currumpericrutando,mTeniqtto4 rtībus modīs
coje;no(ccre poffimus Longitudinem \$ I. Per Zodsacum immobilem: II. Per
Mobilem llU Ptr<sup>abfira^{tioKem iiraduum} quas SteUa habit in jua A R,^{ab}
iliisquos abfohit Sol i» Zodtaco : compoluī de hift Hbe'jvrn , & communi
aīlīiaiī expofuī. Sed quia Libellus iile per partes, & fine debitoordī-^{ne}
i.npreilus ed, dum continuo aliquid novi occorrt^{ret}: & quia dcprehendī
quod valde paucī illam, ur oportet, intelligant, defeau nothiae terminorum :
& quod aliqua in eo juxta novasquashabuioblervationeSi mutanda Se clarius
ponenda forent, volui ut iterato^{omnibus reāe dilpofitis}, imprimeretur •
clariiSmo cyuy poflēm modo;addītis quībufda'm Aftroiogi«prinGipii\$[^], &
aliis quas ad intelligentiam terminorum opportunar videntur ; ita ut fperem
vel modicē exērdiaios in no* titia Stellarum , ce curfus folaris, omniaad
uium & praxim neceflaria, facile incelleōuro»; doâiôres ver[^] & magis
exercitatos in his rationçs & fu^{idamenta} r«* penuros, qutbus artīficiū hoc
fuDdamemaluer iiKel-» . ligeie, & demonllratīve probare poffint. C A P U T
L De quībufdam Ifagogīcis feu Introdué^K riis in fequentes Refolutiones, S
1. ^e Sfhara cœlefti t\$ terreftri. IMprîmîs hic reccffarîa eft cognîtio
aliqtionim Crf** ^uforum SpHsBrœ. SphvBRA . ui hîc accipfior, efr
liiūiūmeiūum Mîthematiciuii rotīia4fti»i ia c|uo fient[^] varii Digitized
byLjOOQlC</sup>

The text on this page is estimated to be only 4.00% accurate

ASTROLABTUM. 'f t«rii CitdiiH t certo orditie dilpofiu, quibus
inoti(sc«0>» lorum & totiiis mundi fitus explicatur , iimiles in cœlo circittlos
imaginaado. Æft aiiiem duplex Sphsra; ««ft CœieJisSj & altéra Terrejiris^
feu în terra cœlis fubjeo ta, quam Coltnographi iniàginanturfecari à Circulis
in cœlo dèlcriptis , eodeiti fitu âc ordjne , quo cœlos. In medlu utriuique eft
quoddam pUnâum i qtlod &• «itur Gtmmmi i quo oitines lfhe«i reâai dùSas
ad cnr^ 4liinferfentiam funt dbqilaie\$; èitrdttiUaB vtih Utidicjtie cingens &
termfnans hoc inftfuimdtum , ap^ëUaitÉr 4jircmnfertnttai linea vet6 r«ôa
per eenttim duâa, k, in extrema fuperficie terminât*, appellatttf DidméÈHr
^phxrx Quod 6 Sphs^a fu^er lllitôî drcumagsittii'^ dicicur Àais Sphmx^
Sênûdiâtmnt ett mtنيētss Diētnnttu ?ut\m mtimqxt tefn^ftiicitM^ Aienfi^
Vocaiitir P#/r: flinlqoê te Sphfti-a fflrdtdi dēo^ (dltcet Atâictjs &
Antarâic(18é Arôiais fit patte BOREali eft tiom ft^» ^ra horitontetii eHfvatm
& i ttobi^ coii(|>idttir; An al^ ficus illi dianicfliiialliél opfyo(H«\$, eft in
pétte Aûfrdlf, & eft infra hotltomecflf fioftrfiih de|^eirûs, âa tôt gt^ eus, ad
quot Boféalte é(t elētati) û^tt tllunu Utraque «S'/^ifr^^ alla «ft l'éfiâfig^ àiiâ
^èli^M. SphaM rvArèd cnjâtriHêT^tfe POLu^ tloh'tofitem Mâtb^mati^ cum
tangît: undé ejifts hôifizdt) JEôflinoÔiâlcûi lecaf, & ab* en ftcâtûf ad
Angûk>\$ SpNsrâlei rcâoà» Taleth habcm qtli éhttAè flKr ^^inoAtol?
habitant. Hase S)hAra vo^attu» réâa^ quiK M èi« oMtnes Stells rcâè
cendnt & atté^dum^ À «<MdM 4fié9^ reSa tor« ^amr. Sphani êèlifâé éftf
in ^« Afe# Polus ttmttéi fupra horiiontem elevatus eft, & alter infra H\vtth
depreftu^ & confequenter horizon lécai ^quinoâiaiçm , &abeo fecatur ad
angulos ins^iraléS: & flonfe^emer in ea dîes funt m^tfibns^ îîWBqt^e^
Notant t^eti ifliqùl, q^ÔJ MéÿiëanÈi îii oinnf hâ^ rhonte obliquo^ 4:
nbicunKjiie fe a^iquis reperit exrfâ JEquinoâiakiâ & Polo»,Cidië(offichrrh
rK)ritom?s réca , cum (tac FoH mto* iSbireétt correfti)ondcant &
conctfrfanf^ ficilt ât^ ?# ftéi^}:2dn^ redô j éÉ onhfiffâ aiirâ continué
fctndttlit iMériëlitouflÉ iÀ fâiÈtSnxti , & faclunt aliffuloiii p^ânM in e#ii,
ikiR hmx aftri dum afcendtsnt fc fil l^rant^fopi^iMrî^miiedl^ IeéftM^
Undb ftqtritur , A 3 q^âd Digitized byLjOOQlC

The text on this page is estimated to be only 16.39% accurate

j\$ Magnum «t Universale qttôdMeridianDS, in qui^cumque pane
mandi finus, poffit vocari horioa reôs, cum faciat ejusofficiam,
& lerviatyficitt dum Sphera (fauuUrad horaontem reâm, \$^ 7)e Circula
^yE^uinoBiali. INter Sphaers Circulos aliqui font Mé^es^ qui ha« benc
360. sradus, & Sphsram in duas partes aqua^ les dividunt (qualis inter alios
est JEqninoâfalîs) ali# •qui Minores ^ qai dividunt in partes ioequales: &
licet ctiam totidem gradus habeanc, hi tamen funt e6 mi* flores ac minores ,
qu6 Clrculi magts ac magis ab >iEauîiloâiali recedunt: Unde licet Circulus
iEqui* iloâialis in terra habeat 720a milHaria flandrica^ & quilibet ejus
gradus 10. fimilia, dum venituc ad Lati^ .tudinem fo* gmd» , unus gradus
taiitum habet 9* milliaria ;& 39* minuta. Ad Latiradinem ^\ .graduum 9.
mil» Jîiria & 26. min. Ad Latitudinem fz. graduum 9. mîlL 14. min« ; «Se
fie confequenter» Et <i quis diltans à Polo duobus milliaribus poflèt
circutere, poflèt (jpatio xt» horarum & aliquorum mtnutorum cum foie
totumcir<» culum Longitudinis abfolvere» ^QUIMOCTiALis igitur cû
Circulus major, frcun» dùm omnes fui partes ab utroque Polo squaliter di«
fians t eflque principîum Latitudinis ab utraque parte» Boreâlis fcilicet &
Aufb-alis. Vocatur Mq^^nod'talisst quia dum fol ad eum pervenit, dies &
nox iunt ubique squalis, utcommuniter dicimr; fed non reâè, quia aliud elt
in pluribus gradibus circa Polos. Si quis reâi fub Polo deferet, haberet per
fex meafes diem» & per totidem noâem« 5 3.. T)e CircUlo Latitudinis.
Circulus hic Latitudinis eft etiam ex majoribus. Currit à medio five fupremo
pun^o .fquinôia^ lis in circuitu per utrumque Polum. EU edam 360.
Sraduum, qui in quatuor partes dividuntur« quorum us funt fupra
Hemifphaerium uoftrum, & dus in alio infra nos. Qua^libet harum habet 90.
gradus, quorum numeratio incipit ab iBquiiioâiali , verfùs Auftrum & T^fus
Septemtrionem iu ut 90^ gradus cadant in ip. fum Digitized by LjOOQlC

The text on this page is estimated to be only 17.45% accurate

ASTROLABIUM. J fūm Polum. Per hunc Cūculum fcimos
quantum di* fctmus ab .Squinoâali : & ifta diflantia vocatur De* cliuatio^
(c. ao .^quînodiali , & eft duplex, fc Au^ ftrdtis & Septemtrionitis ;
& e(l femper «qua!ifelev^atione Poli. Reuduum graduum Declinationis ufque
ad 90» efl ^levatio iBquinoâialis , & refiduum elevationis JE* qutnoâialis
e(l elevatio Poli fupra horizontem. Quantum unus Polus ab una parte
elevatur , tantū^ ' ^ ' mitar aUer ab altéra* S 47)e Circula Meridiano.
MERidjanus td Circulus Major tranfiens perZe" nith & NaMr s & utruoque
Polum. Zenith dkitur punâum cœli direâi imminens capiti noftro ; Nadir
verô punâum oppofitum, & qua(i pedibus fubjeâum» clique Zenith
Antipodum. Vocatur Meridianus, quia Sol atrin^ens illum Cūculum fâcit
Meridiem, & difci* cur abeflè ab Ortus in Occafum Solis pari fpacio ; ied
praBci(è loquendo, dum dies crefcunt, ex parte Occa» fus eft parum plus
fpatii, dum verô decrefcunt, ex parte Ortus. Et quô magis acceditur ad
^uinoâia* lem, eô fpatium magis crefcit. Quilibet locus, quilibet gradus
^quinoâialis, & Circuli Longitudinis, imô & quodlibet punâum eo* rum
habet fūm Meridianum , in quo quilibet Stella le oftendit tantū femel in
anno in noftro Hemifphs* rio horâ ii« noâis; Hcet omnes flogulis 24. horis
per* currant omnes Meridianos. Ratio eft, quia dum fia* guKs diebus ad 4
minuta longiùs comme , totminutis ab eo eloQgantur, quæ paulatim
crefcunt in horas: & dum 12. horas lucrantur veniunt iterum ad eundem
Meridianum in altero HemifphSBrio : & inde ab alia parte iterum redeunt
. dum iterum 12. horas lucran* tur , veniunt ad eundem Meridianum hk
fupra io noftro Hemifphsrio, in quo erant ab anno, percurfis 360 Gradibus
Cjircuh* fui. Nota quod dixerim Ad eundem Meridianum: quia dum iterum
ab eo abtcur* tunt, quotidie veirunt ad alium & alium MeridianuiHi Jn
quibts fe oûenduat aliis exiftemibus ia cifdem. A4 \$. r Digitized
byLjOOQIC

The text on this page is estimated to be only 6.61% accurate

H \$ î. ©^ Circule Hori^ntati. OllizoN eft Circulas major ,
divi4en\$ part?m coe<> ^ ^ Ij vitam à non viiâ. Vocaim Hrrîxon, îd eft»
7'ermm0or , quia vitum terminât & finiu Horizoïi alios eé MéKthematicus [
alios Senfikilis- M^hematicu& elt, qui dividit Cœlum & terram induas
partes perfec^ tè aequales. Senfibîlis eft qui terminar fpaiûm Ccplf » lenx
vel maris, quod ieclufo impedimento à nobis confpîci potest; ubi vîfusnoftçr
exhibet Cœ um quafi incumbens terr« aut mari. Hotixôn Maihemaiûcus
îdem habet cenirum quod ha})ct univçrfum. Poli ejus funt Zenith & Nadir.
Horii^TD alius eft ReSHs; \$i'ms Oiliqumu^ Vide Alp pradiâ» de SphfiE^a
reâa & obliqua* \$.6. ©^ Circula Zodiaci. Clfculus hîc etiam ex majoribus
eft, ^ sfo, Gfim duum. Hiç fecat ^uinoAialepti Qbdiqui, & #^ eo etiam
fecatur in duas partes» «quêtes» q^^um ttn% deflcâit ad Aufirum ij» Qr 30
mi^i. ^tt-rs^ tot\$dem ÎR Scptemtrîonein. V traque tac îa tcî partf» fq9<l<#
fecatur, & quaclibet habet fuum figwnR;uMç « Mff cu'us hic %*(/ÎT
dÎQitttr. In parte Borcali. (une 4rîrf V. lourds X. Crww H C^w^^ ^- ^*<» bl.
^^r^^ îtp., qu« Sol percuj:rit à w» Martiî > ufqiif ad ^3> Sept^ dclinans ad
partem Boreartenu In pwe Auftralî fvin| Liifra ék. Scfftfrpim. V\.
Sa^i^h^tHf^ -^ Ç4pmorHt^ ^. Aquarius ^., fifw %. Hapiç fig^a piCWBbu»
]at Soi à 2 î. Sepiembtis uCqqç ^ 3|0 M^rtU, ejLÎfteni ultra -
flEquinoâialem^ încipien^ à 4»fM» ^ currensper torum Zodiacum, ufque
dum a4 inîtî^m ii^'Àr# revers tîiur. Curiuî ilîî împendît injtegrvu» apn^m, «
fin«r gulîs dîebus pn>greditur ad uniw ftrç Gf^dum. Fi« autem curfus hîc
motu Solis proprîp ^b Oqcid^te m Orietem: Ptaeter quem hal>et & alium
motui^ ^ O^ ifcntc in Occîdentem cuin SteUîs cumm^nem* ^ ^ De curfu
Solis debemu» hîc efle multum fplUciti; qnîa cum qu«îîbei Stella diverfo
tempore diverla lo<^ occuper» & ûngolift dkbiii i^oti^t mCu^a^^ffigi^Qc^it
lus Digitized byLjOOQIC

The text on this page is estimated to be only 19.44% accurate

A.STROLABIUM. ^ t)!s aliam Gradum,ab inido Libr^ magis
dlftantenit per Solem debem^s fcire lettibus quo quemifbet occu* pee;
Icîlicet per Gradus in quibus cft quotfdie in Z^ dtacofuo: eu! viciffim Stells
hoc ettam ferviciumpreaefi tant, ut per illas fcire poffimus in quo Zodiaci
Gradu at Sol : dum enim hoc nefcimus , Scella nota confpeâa in Meridiano
hod nobis indicac per Gradus quos habec in AR ;qtiadumtoc Gradus ultra
numeramus, veni* mus ad Gradum in quo e(l Sol) fcilicet ad initium jLi «
îfiie Ftaque neceflè e(l« Arque etiam fufficit quod fcia* tur^QUod femel in
anno 360. Gradus 21odiac! percur^ rat , h iterum ad initium Librci redeat ^
(x, in quota Gradu quotidie fit^ab ifto inUio computando; atque ctiam
foliicitl ne Zodiacum iminobilem pro Zodiaco mobilt capiamus., aé pro eo
ûtamur ; & econtra •* pro qu6 Notandum eft quod Zaî>iACus poffit poni
duplex l^ unus eft immobilis , alter mobilis Zodiacus Immabi» iiT eft, in
quo Gradus Likra (dumhsc ad Horitontem ponitur) furfum eundo
numerantur; ficut & ignorum fequentium Scêrfii , Sagmarii , &c. ita ut
nobis ab hae parte iBquinoâialis non poffint oftendere curfum quo«
tidianum StellarUm ; fed bene ab altéra ejus parte ;atque etiam dum nos hk
âd Polum fiorealem vertimus« Dum in hoc ponuntur omnes Stellâs ad diem
fus Âf^ €enfions teSa y ipfe eft quafi Spéculum & Index om* nium
Afcenfionum reâarum, oc dum illi adjungitur Gircnlus menOum & dierum
anni Zodiaco accomoda* torum , in eO videre licet quifnam Gradus Zodiac!
correff)ondeât cuilbet die! anni. Talem Zodiacum immoUUyH habes infra
in Aftrolabii Catholici Circula matîmo & extimo, cam diebus & menfibus
anni ill! accommodatis. Zodiacus MMLit eft, cujus gradus (dum hihrû ad
loriïontem ftatuitur) infra iilum ftani & numerantur: & hic, dum furfum
moVetur, nobis perfeâe démons frtat curfum quotidianum Stellarum furfum
per Auftrum in Occidentem contidu6 currentium. In hoc mimes poni debent
ad locum in quo habent A« R. , nna dtius, altéra ferius: & numerus gradaum
qui A* K. addirur^ eft numerus graduum qui intercedunt inter. iiiitium
lÂhr^ , & A. R. talis Stell» dum afcendtt reâe («pek horitontem: ex quo
colligitur f quôc gradibus <A \ B SlclU Digitized by LjOOQic

The text on this page is estimated to be only 2.50% accurate

10 MAONWf BT UnIVERSALE Stftia qmUbec Inaatiir inîtium
Ltfr#, & çonftqufii^, tçff q^pt gradus 4ebeant abfiraM à gradibus Solii (q^i
fcmpcf corrh cmn i(lp iniûo Uh^t) d^m fMiê «W^ libet iri4^u? ia np^
OMridiaDo» \$ 7^f Cire irA tongituMs, gf^i^um» tft ilie pçr quem
çognorçit^r d^cH^afii^ &u diftantia ;|lt^jqs Meri^Uapi à PrilHP MMd^an^
£bu initio hajui CifCBli : pff rcfpc^am ikI qu«m çpg» nofcicur q|iantwn
deflcâat loçiiis aliquis vcifu^QrieQ^ icm vel Oçckf^piiMQ» Circulât iXc
i^\\^% e(ls sMi^C^leftrs, ^Ui^Teiffli^ Iris. ÛterqofB ^ndpitiir m immobiles;
nqu^i^liijrfCOfv' fpfpoïKl^t ad plqmbum , fr^nd |imu£m. ^s)ib<9|
(liiU^frfiin4wp fr y^I mwdkiPu^ fuipr^, ha». bec ipcrnn prorlYPh i4
#giid«im iriiqufiai ^\\ n^%m^ ijp, qDoe&ln Ay]li (dtr«a»niQII9C0iUl)id}
€Sfi»om vfl «rH*i« J8 qw Nç fife %%%cmx 4N ft « grM¥» ACççpliwI^
{l^Aip,vwmi}\\} f h^ «Iw wfçh cuml-îhri, ^çmr^f». cpDdctde gf^^ ^ gwifiin
Çirciilo %odi^ii ît^ «f» d^m fçiiinus in qi^ \$^q %^iad ^ gr«4tt <il^ ft^Ut fit,
mpz vel iiiBiM feismusf in éu9 gHM^u Circuli ft«li«o Him fit. Vide in^n io
â/hMm ÇéUJhlH^^ 'iMxsmm 14Q9ILEM A.^B , qbi gr^i^ Z^iwA
i^bman^f^ «adus Çircqli ftellfnimi q«i iftt alt^owip^lu lifaa 9IWk Itffint
quot gradibus Spl progifiTtii, ft ^ initio |.^# qfolibet tempore fey gradu :
I|em 910C gl9d^s omfriii^ 1^^ QeU# ib| pofita ad Ipcum j^ di)§n) fi^iii (\$
Circwi lus liatis magnus fit; juxta Tabulant fiçU«fioi fofthi^ Miirn4lliv
Mbéat io^k fiofeu AU StftluHîSi nQQfit fuis iiH«n«s, /juilibct
gradusdeberi^pi prQipfna^ ibiponendii^ Item A.R. ftellaruai hab^Mlf
ei4iâtRTa^ bpUi (leilafum , fi n^meres grades Zodi^i qui ti^nto-im^
«fquçafd gvadum.in quA ftlll^ qi^libet poOia f(t. Çinmlnf hic poflèt yopiri
Cira Sfmàmâfi^fif, q«kl ^if 1^ eç» dîllertf ni(| îp modo eQ|icipieBdi:teil
adnvm }prei|i 4âHnâipnem vqeamus euu» CtrcuIiiiD fteilanun» i^licçt
(ÎH^q^m earum A.K 1 & earuâti Lon^ lit^^y^wi ?icl 4îôiPflfm qwo t^bm i
prlooi Me^ ridiaoo Digitized by LjOOQIC

The text on this page is estimated to be only 3.52% accurate

lIdlInt) qui ttanfit pttmithmLih'ét^qvttttevémtRCk«si»
Londitadiftis in cæto, qui nôbis noflttUiroaeûtSrtdo»
hujosCircuHdîftlnguuotuf^ertenhfWiiîtdiô«M «iottii ftellâfum, du! eft in
fine 4. minutorurtiqu» ftéltt luttjimur. Sipritn9ftellaLi*f*fi0gulJsdêebu\$ln
Mrffimoftii motus dinrni relinqueret fij^num âîlouod, Mbft«lliS in fine anni
petfeâuni Cîrculurti fteHarurtj. - GlWillUt LoNGituDiNis TERRÉsTRtseft
itic quîtett«m dltfWmsinqiâo pmes, feu fçradus, ftu meridiâ* ■ «0« ,
«ft^Mdit locoram diOantlam , (eu dedinattotiéfn à ftM» M> ttattiAimo , feu
fnitio. Hic videtur libefto «^tiotf^iflm quoad fnltîum , qaam ttirfum, id eft,
fMdèt à /VAtyotiie |»Dliettti« eiu» inîftutoîW tel alibi MHitte, A etirrm
«jatin OtieAtem vel Ot<!îdentcfn êkim*» âufa qtttfKerteuMqiw pyhétm,
iethbit liabtt iMHiéM rîreattm , (}ttl Éfl o««ikferedfflw<fiw» tocdrato -t
MiiiM» inetMiMo. Gedgfafrfti àKqttf filcepwum îfltf <n i Cabo verde, alii
«i^ M<» lo«»f fed ttoitt WXWrilunl•«KfMefpiiMtlMidi «b-iitfua Tmt^m ,
qm ert «m ex Ganarienfibz: & onmes IUM» fffiMcnttr «b-Ôdefidefite jn
Orientem. ' Sed nosmodo deprdMhdaOtwquod ftell« tei*dent«»iil
«cddemem oflendttK tMii toHgim^wtte6 mtùitetiértiem, pf6 iaitio
Mm^ampanimi M<iiiyiin<tn ^i trâftlit per liiJlItflll L/^ in dMenfe. d^i^
«béo Simitta ^ cc*> * âéfift cmc«d«« «léfMMOf , êc iddwdM» ftoAr» «if
oMiMn' « OiriAtti^ per ««Mîchîv ib cd(kiiwmdiriiMi)w;.ftite ^gt»i6
ItOtoMi ttmMti mâamloiignmvii i*fWr»,quteftthGhc«/ltortfcfliirtj«» fc
c«lo^ «fto gtadd tltltel cdvrei^ndetite aH^rjh^d'êi 4aMtta«, Otto enita
Cüiwil, ffiyg^ti >&> gt»dia&ih, flAal ifldpitnlM , é*i^ cU*WWe*, « flrtirfl
flttteirè*. fetnfW M«0» «brti^iOlldeWt, <f4 f(r«dki ^ grëduW; ita ut
primus unius Hit éÉ prhftitttf aWërfhrfi Mvttêtlis id ftcandm» fte, »Miii
d«»<H«:QH « eodcw txAto Aiftt, tt««s itH^oTy âtfei tfliiMr <«c trtéKWfe
dl!HrJift»fà «6a g«do# f»n liMMK r<«ltt: « «tm» wotfeiûtates, fiW • Si
vm> aéfiim CdHtmMi fir fettis pîbdtts «Irt* 'gradua LoBgffidiîiis*
(«««(|f{i5,qtfi ROI, cife^fltit* Wrti* M îMuMlt^ fttf.|(JM(«^ mifar» (»«!«»•
dl««ffi>j>. fia teiffiinattt* Digitized by VjOOQIC

The text on this page is estimated to be only 12.75% accurate

«i Magnum et Universale . terminatus est, accipe ftellam quae cit
p imaînTabulâ^ & e/l Borealiior in CaudâCeù, Hxc îb initto Li^r^r gra. o.
min. r, habet fuam A.R ;duni in hac exiltit, vide Xuîs locus illi in Terra
correlpondeat, fîve in quo ierîdîaiiô hac die fui, ut talis, videri
pofGtvelvideatur , & hiç est locus primi Merîdiani & inirium Qit* culi
longit- Terrefttris. Quilnam autem , lèu ubi hic ' fît, baberi débet per
experientîam. Videtur roihi »uxta recentioresquashabui oblervationes,quod
(icMerîdianus nofter BrugenHs* Ratio est, quia die zp.Decemb, dunfi Sol
e(l in S. Gr« Capricorni, & Sirius elt iu fuâ A*R. habens Gradus 98.
videmusSiriumin hocnoftroMeridiano: ex quo. infero, ergo diâa prima ftella
Libr^^ \ quæ iam ad totîHem Gradua progredi&e[l,ante totidem Gradus erat
ibi,ubi nunc Sirius est; quod videturcer» tum & clarum : & confequenter
nofter Meridianus îa# cidii in Horiiontem Sphae^ x redae à parte Orieniis,
Ruminent hac Aftroôgi , & ideant qusenam ex his dedu* cere poffint in fuis
obfervationibus Infra dabimus modum, quo eûam antiqua longitu* do per
ftellas cognofcatur, ^^^^ y, ; èa.^r(f>fW4ovj ' § 8. IDe Firmamento S?
Stellis ac Curju eorum. Mlrabile illudFiRMAMENTUM, quod Dominas
Deus f<;cit in princîpîo, h in quo pofuit Stellas, con*» cipi débet per
modum maximae Sphxrae vacuae, in cujuscentro pendet Terra firma &
immobilis, ponderibus librata fuis, & in cujus parte concava funt ftellae
fixas, îta ut dum una movetur, omnes moveantur. Varia în his confiderari
peffunt, etiam hic utilia, V. G» ea* rum Magnitudo, Locus relpedu Zodiaci,
Nomina, Declînatio ab ^quinoftialî, h Diftantia à Polo: (de quîbus vide
Tabulas infra pofitas) praccîpuè tamen hk confiderari débet Afcenfio Reâa.
Quoad CuRSUM earum (loquor femper de ftellîs fxis) ille est duplex: unus
Propriûs, alter commuais. Curfus propr'tus est, quo fuper Polis Zodiaci
moveretur abOccidente in Orientem, illum toium perambulantes fpatio
annorum juxta Alphonfum 4900a, juxta Co# pernîcum Zfoo. , juxta
Tichonem 25'4ii., pofit îftum Yermiaum anaorum reditui« ia iQCum à quo
curfum Digitized by VjOOQIC

The text on this page is estimated to be only 11.15% accurate

ASTROLABIUM IJ Inoepenuit. Itaquejuxta tumdcu finguhS ibd
aniiis fiiciunt UDum gradum & 25*. minM vel uoum gradu)n iqtegrum
fpatio 7a annorum & 2if dieruiiL Curfus hic caula eft cur mutetur earum
Locus, Dectinatto,& Afcenfio R[^]iâa, & exeo collfgitar dircrimen figootum '
Zoà\ûcl &DodecateiDorioruniEclypticas,hocefl;, quare imagines înGlobo
cœlefti, qufl[^]Zodiacum conttituuotf iron convenient cum Dodecatemoriis ,
fed Aries migra* vcrit td Dodecatemorium Tauri[^]Taurus in iocum Ge[^]
numrwH[^] tic Ame annos circiter icoo. obfervanri* bus Aftronomis [^]gyptiis
& Grascfs, prima Stella fn ÇoxïAhxxs Arietis [^] erat circa initium Amus [^]
àquo lam pliifqiam aS» gradus in Orientem teceffit ; ira ut \mf ginibns mnc
convenientibus cumDodecatemoriis Eclyp« cic«, Domina tune quoque illi
impofaerinc fignis Zo« diaci à cooftellationibus vicinis. Aher curfus
ftellarum vocatur CMtmth (quta So) ' ctiam illum habet; & eft iHe quoab
Oriente in Occi* dentem (uti quotidie videmus) percurrunt totum coé» lum
& Meridianos omnium locorum. Hic curfus é* tiam duplex eft; primus eft
Diurnus[^] quem quotutte ikdant totum cœlum percurrento, & adhuc 4.
minuta ultra, quœfaciunt unum gradum; itaur quotidie uho {[radu longius
procedendo in occidentem, fJKriant cur« n Atmtiù (qui lecundus eft > ien \v
fine anni, unqm circulum Longitudinis in cœlo 360 graduum , qui
diftingjuumur pet terminum mœuûs eonim diîirni, qui eft finis iftorum
4«minutorum quas quotidie lucrautur: ' ila ut, licer quotidie velociflîmè
percurrant totum cœ« ' lum & omnes meridianos > attamen propter illum
ter« minum motûs dtumi, idem fit acfi m[^]deftè iocedenb * fingulis diebus
tantum procédèrent ad unum gradum 9 ' feu la milliaria, ut fupri diâum e(U
S 9 2)[^]. Afcenfione R[^]fa Rellamm. AScenJiv ReHa ftella[^], Solis, vel figni
alicnjus, juxta ' Aftrologosi eft Gradus asquinoâiaiis , cum quo fimul
exotitur , io fphasra Reââ. Per Gradum întellige ' Gradum vd punâum
iBquinoâialis aut CircuFI ftella* rum , numerandum à prificipio Liirji , cum
quo f]la fimul qmiiur[^] afcendendo teu de «korfum-v[^]nléndo ' > B3 fupni
Digitized byLjOOQlC

The text on this page is estimated to be only 11.04% accurate

14 Magnum et Universale lupra horizoDtem^ ablciflum à MeridiaDo per (lellaOl tranfeunre, in fphacra Reââ, Defiaitio hæc & Locum notât & Temfus ; Locum îti quo fit ,(c. Gradus vel puiétum diâum,&tenfipusquo fie illa ablcifiio leua(cenrïo,vel traniitus ûeliasperHo* montem (qui eil etiam Mcridianus tranfiens perpuDC» ta LOffée & Arietts^fi hoc fcl cîtius vel ferius , lecundùmquodSol plures vel pauciores gradus abfolvit,veî .itella plus vel minus dïllai ab initio Libra* Hxcomnia melius iitelligi& videii pofTunt in Zodiâco Mohîli , \$.^ . delCTÎpto, & inferius polito in Alholabio CathoHco.' . Pûiatureniminitium Zodiaci Mobilis A. ad horizon» tem,& înitium C. Long. 6«, ridebis Gradus LihraSi .fequentium iignorum infra horixontem ftare per Gif* .cuitum: quoad motum vero ?idebïs quod initio L/^r<f afcendente per Horizontem^ itella i Lthée fupradîâa fit in A R, & afcendat paulatlm furfum; ita ut die Te* quente fit 4. min. ultra, ad initium iecundî Gradus ; .tertîa die ad 3* & iic ccmkquenter: & alicæ ilcUx fe.quencesarcenduncHmiliter: & dum dies & locusearum adveneritf funt in A.R. & numeruî>Graduum qui huic da« tur « e(l numerus Graduum qui lunt inter illam , & int* <ium Lihrcæ & illi feoiper ablrâhi debent à Gradibus Solïs in Zodiacow Aliud eil de illg prima ftella in îniïio Lihrti h«bente Grad o min* i» ; Illa curfum femper incipit abinhio illo cum Sole, & continué pergii,& il) um finit comeodeoi» -curfum fuum ônient« in termine Virginis : unde fe« .quîtur quod femper tôt Gradibus proctikrit, quotSoî, . & femper cum illo fit in eodem grudu i.&cumnullam babcat Longitudinem nifi unum.minutum (quod hic »on computatur) nuUi Gradus abftrahi debent à gradibus Solis** & quotiefcumque eam vides in tuo Meridiano , Gradus Solïs dant tibi longitudinem ejus in cœlo, & tuam in terra mediante eâdem vifâ in tuo Meridiano, Dixi I. quod currat cum lolc; non quia femper eft jttXta illum^cum faepe ab iïlolongiffime abfit>fcdquîâ codem tempore funt in eodem Gradu ; ftella in loco fuo & Sol in fuo; V.G. Sol in i. Grad» Zodiaci, ftdla in t< Circuit fut; licet à Sole tam longe abeilibt quam ftella Polaris* Dixi 2. Miéûmc €aém vtfê &c«. quia Longitudo tn CtBLO Digitized byLjOOQlC

The text on this page is estimated to be only 4.11% accurate

ASTROLABIITM tf cœloeft ^afi prîor &Indc)|
ttoftrcLongitudîmsînter-» ti: quia «cfi fciamus quoe ftradibus proceflierfr
Aella quplibet in fuo Ciçcuto,. flou poffuaiu^ lamçir Lpngi.« tttdiqciin
Doftramcxd fcirc, nifi eam vldcaïuûs, 8c' ÎuîdemîoiîûftfaMcrWîaiKx Lfcet.
inquam, CSretUu^ ellarum îacœlo & Circulus Longitudinis in terra mu» Uû
cc5Pr«f]*a4crtt<k ciwduiftUiaduni; itautprînms mkm m ad prîmum
«hecîu^, fecuii4u\$ ad ftcundi^m «c. non poflttmp^ lamen fcire nos efle in
Gradu ror* refpondont* Gradui ll«llai,aifi ifîfiuui vidwidorftnoftra^
Merîdîanq^qi^eftloQu^r^ QQR«t(r<Hiifai\$^lêridiw^ \ ?)»«,* gf^dî^V & P^
iUum ««nfens. Si eoira wqW du a Meridîano dmemus, iion vrdrtnius
eamnîfiuao Sradu dift^iem , fi doobai, jM cilam duoku» diftaBâw
IrfPMirudinis, cft quoi fi^vMw^w prci)cajt inillograe* du qti£in habet ta
cœlo,cJttra>qticm non potcft vidctf* unde lequitur qood qui ipiam
vûbiitlQMerîâifiiaiiiOL . fiot In tali gtwi^ ^^
ColHgccexpraBdîata^qiièidlfteH^qittddîbeeUicsoifciii loa> t^tôm iciDel în
annopckfir e^ în A«It pfowiè diâa, ql|85 eft iUa prinui quâ pmnum afemcUf
Hori** jontcm , quant jâm defctipii Ratio eft » qnâ: poA il* laai rehnquit
mcridianitin tUim lod, & coDttmîôab ep longinj recèdent, ad eum non
Kveniur fiipra hant^atfm, nifi poft anqurn^ ut paict «xpmentik Dixî af^r^^
quia dum poft iUam fcquenttbus «Qbua elt in Mcndianis alîorom tocormn,
pqt«ft dict qnôé fitajiqnaUty ni A; R, , quita Meridianus aqwajtî i*f. ccnfîqni
faâa}, ut fupra dêâmn tft \$ i. iid bac eft tanrà improprîè'diâa. "« « Ittiquç
pr«Tniffi\$ omnibts iaieHeâis & eonMeratik^ ^•^!?S?* a<l Retblmionai
capitales, & vîdeamus tret promfubanaodoacagnqfeendtl^cf^itttdiiictt per
Aeâaa» .^ t^ *^^ ... » CAP UT Digitized byLjOOQlC

The text on this page is estimated to be only 13.58% accurate

t\$^ Maokum et Universalb C A P U T I L De I. Modo
cognofcendi Longitudinem per Stellas medianteZodiacoImmobili. RE/p. (g
dko A. §hibd Longituitnem fcire pojJimus ferZodiacum Immobi^ km ,
mediante Soie , Ô? prima Stella Libra (fue eff Borealiior in caudâ Ceti)
velaliâ tiuacumque qua fimul curtit cum initio Li-^ vr£ ; Sole , inquam^
indicante tempus S? gradum , ftelld iftâ locum ubi eft Longituddf ejus (g
Solis^ ac no(lra dum eam in noflro Meridiano vtdemus. ^ Dico Vel élis
ifuêcumame ^c. propter et qa« po&eâ-^ diceiitQf de qQibufdam ItelUs
polaribut* Ii^tur ubicunque videmus iftam (lellam primain ivt noflro
Meridiana, tanrùm debemus videre in Zodiaeo* Immobili in quoto gradu ab
initio Liira tnnc fit tp(è' Sol ; & ifte eft etiam gradus Longitudinis in ifto
loC(Xr V G. Video ftelfati fftam in Meridiano dam Soi eft in nliimo gradu
Sagittanif ubf percurfis tribus fignis eft in 90. gradu^ Infero & dico: ergo
etiam fom in 90 gradu Longitudinis terreftreis» Ratio httjus eft OmuUaneus
curfus Solis & Stell« il« lius , quô ab initio Libra ufque ad finem l^irginis
pet 360. gradus, reôo & non interrupto tramite currunt» ab Oriente in
Occidentem, confidendo anum gradum jGngulis dicbus (loquor femperde
diebus anni Zodiad gtâibus accommodatis) & fie poft aunum ad idem
iniiium redeunt. * Ifte carfus fimukaneus iâçii ^ qu6d dqjp Sol per*
franfiens .ffiuuînoôialem încipît curfum nium verlâi Auftrum, eft in 1/ gradu
Z^i^^ Zodiad immobilis» ifta ftella etiam fit in prîmo gradu drculi foi, feu
dr* cu!i ftellarum, 2^diaco illi coojnnâH qui etiam eft immobilis. Dum Sol
IreQÎt ad 2. gradum Litra , tune ftella qu8^ pridie fuecat in it gradu | venit
ad 2. circuli fui Digitized byLjOOQIC

The text on this page is estimated to be only 7.63% accurate

. ASTROLABIUM. t;? I7 ikî : dum Sol venU ad 3., ipfa etiàm:
&fic confitqueqter per tomtñ circulunū Et fie quando fcifnus inquo* to gradu
drculî fuî fit Soî , ctîam fcîmtis in quotb gradu cîrcuH Oîî fit îfta ftella,
quem etiàm indicat \i\$ \x\ cam videm In fuo Meridiano : & fie îffai^ellaqu^
î» die vel ^adu Lsùrà oîlendebat primum graduai Longitudîms, 2* dîe
oftendît 1., St fie confequenterr Et dum Sol pervcdît ad ultîmum gradum
Zodiacr| ipfa etiam oftendir 360 gradum Longitiidfnis. AU^ autem ftellae
quae illam !• feu îniîam L/^r^f fequuntut^ lot gradus mînùs ofteadunl, àd
qaot îUam fequiuitur, feu habent in A. R»; unde illi à gradibus Solis feu
initîi Lfl^r^ abttrahendî funti dam per eas quâsritur Looj* gîtudo, ut înfra
dicétûr. s Ex dîôis ftquitur, quM ubieumque vîdes îñ Zodiâco îmmobilî
îîellaîti aliquam'pofitam îñ A R. ^ quôd tu, fi.exUlas ad hlum gradum,
habeas tôt gradua Lon^ gîtadinis, quot ifH fteîîae dantur îñ fîia- A; R, V.G.
^Jtts Bd giL^djim^^ Capttc9r»i ponîtur îñ A- R,, h*» bensin ea 98, gradus:
tu ctîam totîdem habeasprotua -Xongitudine; hoc tamen non mediânte J/rw
confpedo îñ ifto Meridîanb, quta eumibi vîdcre non ^otes,turti ^^8 gradibus
inde abfît, & ftet ad Hûrizontemin gradu ^ . Longiitudinîs >: fed mediante
numéro Graduum qui èffluxît ab îñîdo hikta ûfque ad illam A.R. AW/ , &
Incîdîantçiftâprimâ Stella, quae tune ibicftâ videtur in Meridiano. Gradus ifti
debent numerarl fnverfo md» do , îta ut 98. y.G.fit primus, 97. fit fecundus,
96. fit terlius, & fie confecjuenter ufque ad 91, qui ftatai 1 Gradum îñ quò^
Sirims habei fîiam A*R, îñ Horitonte. "" "■", ' ' ' ' ■" ■ ^'^ Ratîo eft, quâ
dam dîdmus , quod »S/W«j in A» R^ liabeai 98» Gradus, nîhil altud
dicimus, quam quod poftquam im'tium LfW afcendît fuprà Horizontem ad
pS. Gradus, quod tune tncipiat âfcendere fuprà Hori* tontem, & fit in i.
gradu Longitudinîs, & in fuâ A, R Ipfe enim fequitur ilîud inîtium ad 98.
Gradus, ad jquos jam inîtîumillad Lthr^e pct^cnlu Itaqueficcon* trarîo
modo numèrando îñvenitur îS/r/*/ effe îñ î. gra« du, lîcct îñ Zodiâeo
îmmobilî ponatur ad 98, Gradum, quia curfus eîus non poteft aliter eîprîmi
îmmobîliter, ^oatnper cuifum iihim contrarium, akcri tamenacql* C valcn*
4 W /i. f Digitized byLjOOQlC

The text on this page is estimated to be only 7.21% accurate

W MAéktJiti fit UniVersalb ^alemeW; ha út uuum & làemih
àinum poncrefpçf^ Ij^adu Zodiaci immObilis , & in 1. Zodiacimobilis* '
Itàqué in Zodiaco immobiii ponuntui omi/e\$ Sullâé htr lotunfi Cîrcuîmrl
eatum, ad denoraiidurti tempus \ Grâdtim Solîsi ad quem lunt in A*fl« non
verbadc** hotandum locurà in quo tuuc videucuf ; cUm cuuc ibf Hoti
poifint vlceri ^ qUia tut Gradi^ms inde dillant ad quot èârtliti A R« dîtlat âb
initio Lihra^ quod tunc ibi rft juxta Zodiîâcuin |nobilern,cuni Stella ilià
ufâepedîâa, • Verum, ne quis exiftîmêt quod ex Toia îila plrîtnà Stella Libra
pofet hâberi Ldngîtûdo mediante Zodiacû Immobili, quod alicui trierfto
parvUm quidviderl pufr ïet, cum tantum femel îft atîho în quolibet
Graduvî* deri valeat, & îUa per médium an num i > nodro he« j^îlphëerio
âdn tideatur; ideo ex prsdiôls inferOyCol* jBgo, & ^ THcù tî. mn tantùm
SteUa t. Lîbrâe, ^d^ qnédtht alia foffta in Zodiâco Immûm vili a4 Jûam
A.R. dénotât Longitudineif^ yoci ejus in qua videtur m Meridiana , Jf
initium Circuit Longitudinis B. pûnatur ad Hiern JR. iftius SteUa ^ tê
filumex cmri} éucas ad Gradum Zodiacs immobdis , in qu9 iol de faeîù eft :
Ipfum enim aè/cindit Ura^ ^um Loftgîtudims in quo tune es. ' V. G. Dum
Sol eft în 8 gr, Cafrkarm în quo *\$/• r/«/ eft în A,R,{ipoïias adîpïum Strinm
initium Ulud CircuhLongît»^ tune filumex ceutro duâum adîfhiifi
Ijradum,^bfcldet Gradum primum; poft lo. diesab» cîndet lo, fie & îdem
eft de omnibus àliis Stellîs, Ratio eft, quia iîlud initium
Loni^îtudîiisponereaî 'Afcenñionem R. Stelî» in Zodiaco immobiî, idem eft
quod abftraherr à loco Solis Gradus quos îpf^ habet îH A R i& dum hic
modus agendi benc ipteHij^Kur, câ» re videtur quod coïncidât cum
dîcendîs înfra de^ecuiido & tertio modocognofcendiLongitudîf >em: &qunî
lh omni parte mundî. ubî Stelîaiîi quamîbet Videmûs» îlatim videre f
offimus quem Gradum Lougit« ibidem "habeamus. CAP UT Digitized by
VjOOQIC

The text on this page is estimated to be only 1.39% accurate

CAP UT fk Sfixuvi^a Modo ÇognoTceodl LpBgicadiiie pef^
iitelkct Meidiaute *iTTfc leciinflaB modof oft<ndct nq^fr dr^^ fupra
defcriptus, fïcm & totam cooAiuuioticia co^lili imm^aim» imago,
(breprèTeDttio) &€oiifiitt]kio •«tf éH ifmgî^loon iocorum. Dma Domituis
Deût I» spdf^Qfamth l^iAMAMfi^Tmi & Sceibi\$, Smmê mtottti
iBoimM^ ftéid Mm fr^fmtkt^^ tt vd a4 «umwmiciipoMf .?ei iSt \$(bi9^
ypbMt m j>întMle ih l»4 JîiKÉi^MiHWAI €11» iUp !&o 90t6 iabao(icrabili
fX«cciMi Si^ttiiSAi, dîiFj£^ in m qimfi lcgbnés, ^sdk Momihfi :%IH«1W
^Zodiad çum quitus cocrafii «^ firiit .24 lififfis Mifiiifirei:^ mt0 ilimm^
lottim an^ t^Mi A^flBlî & Tm»% ^ £»qiKi)ti dîcjBoniii ÉodelU loco in quo
cœperonr fifter«ur , M 4. «riiutis hotMk if» mafQ^4»^m^ fiM
ioogîosjMtlurfOccIdeMéai iqvd^t»^ te JPqaiqqiftWt haberips iotiltactâ
fiâa^ àii^oieiA|iiiiia.«l^^ ûBm49 i A Me jpa >^ Dico ^ (p/tr «irm9, quia
(icutSolpesciirfiîodP 360^ Cai» iÊ0SM} fiLmmso:fm€iiitmio
tQtideaii(iradasjQbcu}i ili^#diiil^imf ^JtthiqiifiD iMdridwP ituo ciiQ^«
^mrnkcûrumfnùndr^h videte TLongitndir Digitized byLjOOQlC

The text on this page is estimated to be only 10.98% accurate

ilb^ Magnum et ITotver sale iiiiiano conJpefia , indicat , accise
Zodiâcnm mobilem A. & Gradum ejufdem in quo Sol defaifo eft^ fone ad
Hortizontem feu Lineam hora Jèxta matut' tna Jeu in Oriente y fone etiam ad
eundem , Liliu Jeu initium Circu^ U Longitudints in Hemifphario
terrejiri: hoc faèto videbis omnes ^ fîngulas Stettas fiantes ad Gradum
Longitudtnis B. quam habent qui eas vident in fuo MeridianOj^er totum
mundum. Dico , Per totum muniuml quâ hoc modo no» tantum videmus
Long.noftram feu loci noftri, fedetfam cm» niuimaliorumlocorum; mode
tantumfdamus,quaBnam Stella 'tneorum Merid, talitempore
con(peâafk.*&per hune modum pofTamus fcire ad quem Gradum Long,
fient quilibet loca (ettam remet iffima) V»G Mexico In Hifpania nova, Goa
tn Indiis Orientalibus Macao in China , &c. dummodo nobis fignificent ,
qua 6\^ , & quam Stellam viderint în fuo Meridiano: ponendo cnim diem
iltum, (eu Giadurn Zodiâci mobilis înquo Sol eft îfto tempore ,ad
Horîzontem, Stella iftaftabit ad Gradum Longitudtnis loci iIHus. < Modus
hic fundâtur în ipfo certiffimo & înfàllibiit curfu Firmamentî & Stellarum, à
Deo ordinato: & cft vera ejufdem reprsefentatiô, & imago : ac proinde cer*
tiffimus & infellibiliseft; & per îilum demonftraiivè,ife ad oculum probari
poiTunt , omnia quod de aliis modis toto hoc traSatu dicuntur Dîxî I. Acàfe
Zodiacum niMlem defcriptum fupm §. & debes autem accipere Zodiacum
convenîentem loco & conftrutiôni tuæ, vx melius videas locum & curfum
Stellarum» Si fis converlus ad Auftrum, five ab hac parte ^quinoôialis , five
ab altéra, mcre Zo« diâco mobilî notato littera A- ad mxihxm Libra ^ cum
Circulo Longitudînis notato littera B. Si vero fis converfus ad
Aquilonem, uterc Zodiaco Rcum Cire, Lon^r A. Dîxî 2. Et Gradum ejmféem
f fc. Zodllcî) Poneai Hmunum^ i:fi. hoc c(l puuâum capitale: Ratio hu*
Digitized byLjOOQIC

The text on this page is estimated to be only 5.44% accurate

^ As T R i L A fflét ir • ii)iif cft^ 4iiod SteUfls JiDgiiUs oiebtts
imd Giidii hnigias currant in Tiio Circuki, & Gra<t^iiii} io quo funt pei:^^
perfe-ipfas iodicare non poffibtùcd.ille nobis per Solem , a Gradutn in quo
eft in Zbdiico, namerandà ^ {Ditlû LUne (quem
fîKilt.CQgDbime.pf^ttiUS^ Innotcfcere debeat. Idca IX)mliin8\^cuf voluit.
ut Stella ab initip Ls^^ fimal cun^ Soie fnciperent ce «onriûuarent cartain
(taum de Gridu ad Graduib ftt ^um Circuttlûia; ad hoc ot per
ôradmsSoUspofltBn^ fîdcrc Gradus Sicllarum, ^ Dî?î ^PtJeUs^mnes (if
fiègmtas wSas. {fç^ï^q^ tatas fn ZbdtacoVùhde & iatis
mâcnu^el&debeclalièi Gradus ki que fui\|t dcberent acdpi loco Siciiaiaitf:}
Pfékffisj inqu^^ ad oculuni fine allô compotuv aut aiaoperauonef St0ntcs\
tfc, Res (aDejHilchetninii 9t jucundiffino, ir^^iacas magmis jit^n qao
poQaQCi^ StMm cum fuis conftelbuionibus j &ç« \ \ \ : , .\ Noca autrm i
quod ficut ifto modo ponendo Gi^um Solis>>» horf^ i;t. noâis | babes
cbnflitùtioiiem Cobll Ik iÇcellaruin ab oo^ii parte^ quae tune eft; fié etiam
quai» *iibet4iora diei Vd npâis haberë poffis eaïudenï^^ân^» 'dum
lflum^(latua\$ ad h6|:am itlam , qui fcire deliden^ lliiaQi Cœli
coniUmuonem : quod irnximè utile e/t^ ad lCOF9ioicend#\$ Stelli^iquia
vérp Stella <}iixlibet de priii* çipio aoius: Gradus non vadit ^aUerJiih per
firitùib; !fed perminum, id^ fî prapcife operari defideres, pf6 rata
horarual^qun^u Gradus Sl^llarisiis accommoda» recoDtendas» C A P U T
IV. Db tertio Modo, per abftraiftionein Gra^ duum Steïlae , à Gradibus
Solis. ^TTIc tertios Modus continetur in duobus pi«cedeiï« JrItibttts, &txih
deducitur, ft per eos probatur ac demonftramr • qui précédentes' ndn cap|et ,
fithoc ter* tio contentus in psai| & propter fadlimem ilU bcn» ^fii^iet»
Itaque -^ 1 • \ .-1 - C3 JR^/J^ Digitized byLjOOQlC y^

The text on this page is estimated to be only 5.94% accurate

^% Magnum ET Univers ALB Hf/p. (é dt€0 IV. Ad hoc ufper
quamli^ §ef SteUam notam tonjfeliam in nojirùMe^ ridiano Jcire pvffimus
Groaum Longitudinis mfrfy triatMntumfuntnecefiaria: HrU jjpQVim
eJijVtdere ad qnüt Karadus Solp'ùcefi Jerit ah initia Libr^^ ufque ad
prafentem fdieum wfine confiderationts : Secundum eft videra quot Gradus
habeat in die fao feu ^ . fi. Stella tfta quam videmus in noffra éie^^i^ima :
Tertium elt^ Gradus Stella i^bfirahere à Gradibus Solis : ^ numetus 5ui
fuper^ft^ eft uumerus Graduum ncftr^ jongitudinis. ' ; »:. ?iin V.G In loco îa
quo finn iVidebTOTféThedîS Jf^^^^ Jli meoMeridîano, dumSol itigreditur
fijgnufTi Pi/W»»!». JSol iûo tenipore percurfis quînque lienis habet (graduji
^5^0* Strius \\l dîe fuo haDer 98 & his detraâis i ijo." lianent pco
mea'Longitudîne Gradus 5-2* Quod fi Gradus Stellae plures fint quam
Gradus Solis, Ki« addere oportet 360*, & tune abftrahere quoti
>jiljfra|icnduin eft V G» video ^mum m mea Mcïidi^■tio duài î>ol
ÎDgpedîtur Scorpionum^ ibîdeih tantuni i;afcens 30 Gradus à quibus cum non
poffim abftrahere Cradus Sirii y fc. 98.1 addo Gradin us Sclîs 3^(>o &
4kab^- 390^ ; -à .4yiil>us-abitrahfPdQ .98. xtÛJàm jnihi jfxs> mca
Li^ngitudîne 292. gr. Quodvfi'Stella nùlios habeat Gradua, velmi 1. Stella
Libtéty luirc nulliahftràiicndi funt, fed Csradus So# lis, (unt Gradus Lai?
gi'UGÎnis îû [oçp in quo iplavî*îeiur in'Mtridiano. ■ Si qtiîs per fupradida
bunc ULModumminduinfalîscapiat, cohfideret haec 3. puî.âa, i Quod Soi ab
•sniHo-îi^rif , percùrens figna Ziîûiacî . & Gradus ejîis 3560*, iwpertdai
totiup annum & îc rrdeat ad idqin -îr»îi'''^'tttn 2. Quod SteHa ftm^Librte (
qu» cft Bûrm^ ^ar kt Couda Caii) eodem modo , .& ab eudcm iuitio f
eicurrat 3^0. Gradus Ciicuii SuUaxulUi .<le Graduià Digitized byLjOOQlC

The text on this page is estimated to be only 6.38% accurate

gradam efrreTpoiidnfis Soli : ita ut dum Sol est in i. ^radu> ip(à etiam 6t in i, & duin eQ io i» ipraetiam fit în eodem &c Et quia Sol non videtur de noue , tpfa vice ejus i ftendit le in Merîdîano, àfimul gr^ dus Longitudinis in Terra vilUs qui vident eanr) in fuà Merîdîano : & quia Stella non pnrefit oftendere quot Graiushat>eai, hacnobisindicatSoTperC7radutqu >\$ab« folvicnam quia femper iimul currunt, dum icim^sia
quoto<TraduabinitioZ./^r.r fit Sol^ etfani icfmus (|uotf Stella ifta fit în eodem, V.G. Sol dum vctitt ad irJtiuii ^r/V///.abfolvii
iJo.Gradv&Stelîaiftaeiîamr&nbîtunc Irîdeiurîn Merîdîano, notât i8ô Gi^d*,& flat ad iftuni Cradum Long. terreftis. Haecdé i. îlia Stella diâ^fum^ ^ Aliac autem Stella qu« poft illud inîtium Lihrm ireniunt & afcendunt per Horizontpm ad aliquojt G<in» dus, pîures vel paudores, tôt Gra4us mînus notant* quoi Gradibus illudfequuntur .^euat> illo dift^nt. V Q; û difteht IO. Grâdibts, ioco quod noialem i6d«,'tiiiî^ tjam norabam 17% Debent crgp tpt Gxadus abftwM i Gradibus Solis, quòt ilmt inter^Siellani îllam & initiuin Xtihra) quot éutem îlli fint ,îft<flc'at npbis/f/r<?jîore£^ fcujuflibet Stellfe, quia Hœc eftrenis muncrus îftoruii Graduum intertnedioram. IglrtirrptneriisquiirtsGi^ dîbus abftaâis retnanct, eft verus 'numéros GtaduuiA quos ilia Stella habét în Càela, & qtios notât in Cîr» culo LongîiudiuS terreÔris, îfls ^îa cam vîdem m Tuo Merîdianô. Primum néceffarîtttn exbîbet tibî Zodiâcu!» IfnmoW. lis, fi videris in quo ejus Gradu fit S;>1, immeramîlj correfpondentéfn in Circulo Lôn^nudiTiis nov«ilHadîi junão . obferves, Itetn fi Gradum SoHs ta Zt^diacé liîobîîî âttftidas,^ humerumflii adjunâuminCircuId Stellarum. Idem dabît tibî Secmndmm^ î\ Stellam îrtc© bofitam & numerum Graduum A R» etutdemînfj îc?î?:S. Vide fupradiâa & infra dicenda de Zodiâco mobilî & Çîculo parvo Steliarum îîli adjurûa Idem mai^îl ëîftînâè habÉ-bfs ei 7abuia Steliarum infra ponenda. fft]b[uâ C ne quîd Commodîtatî utendum défit) fingul^p otdîs àdditur numerus Graduum & otinutorum,^* niibent în fuâ A R, Ecce quam facile cum tn:«dîca fidentîâ , pofljf habcî» fî Longicudo lôcofurr» per rorum raundum, ifto terrié Iftodo, nautis maxime commudo. CA« Digitized byLjOOQlC

The text on this page is estimated to be only 10.06% accurate

^4 Maçnum ET- Universals pÉ Quarto Modo Cognofcendi Lon« :
gitudmem loCorum per Stellas Polares, ^ etiam longe à Polo dillantes. " 3^\
UaBrîtur hit an tâlis modus detur, & quîsille^t, \ f>er quem utique uterque
Polus fieret optabîld .'^^iiautîs Speci'Lum LongitddînIs; & maxime ^olus
BoREALi^ , cujusSteUœnobîsmaxim«fpcaabileg jCiioi, &
numquamocp'dUot. r Rejp. & dko y. per SteUas ^ola^éil ttiam longe à Tolo
diffames foffe acquiri ^otitiam Longitudinis Locornm: S? hoctri^ bus modis
fupradi6tis ^dummodOy ajfumatur; Zodiacus Tùh conveniens: fiilicet
Zodia* '^us A. fro Auftral'h ^ Zod.B. fro Boreali. 1 Raïño eft, quia fie omtila
quœ baâenûs diûa futit 4e Longiudine per SttUas cogr-ofCendâ » tribus
dîâiî moiiîs criam in bis Polaribus locum habent :& inprîjnîsquoad Folum
Auflrakm patet; quâa dum ad ir» lumconverfi fumus,
pmnîarunt&fîumutruprâdiâuni eft , nec opus clt mutatione Zodiaci \ & loco
Stelle prima qu« efl in Initîo Libres cutfrens cum Sole, & tofdem Gradus
îndicans , A uftrales habent alîam, fc. Illam qux eft In fila finiftra Anferis
Ameruani^ qutt ^îftat à Polo ao. gr. lo. min. & iriîtiumL/ir4r tantuni medio
gradu praecedit. Alîud eft de Poh Boredu Vî» (deamus qu» eum concernant
per fîngulos modos. ' , Quoad I. modum Polo Boreali îUe Zodiâacu\$
maximus & îmmobilîs fervîre non potcft , ob ejus contrarium curfum; unde
novus pro eo fiât, vel potîus affumatur Zodiacus mobîHs^quîad înitium
Libr^ tiotatur litterâ A. & ejus înitîum ponatur ad horam 6. Vefperiinam ad
occîdentem & ibî îmmobilîter tenc»tur, & utere Circulo Longitudinis notato
etiam lit» tcrâ A: & cum eo faciâs quae dixi faciênda cum Zo* diaco
immobile fupra fol. i6. & 17. Simîliter Zodiaco Digitized byLjOOQlC

The text on this page is estimated to be only 5.59% accurate

B. tfr̄c p̄ijfflb ad 6. matut., cum C̄ircuio Lonḡit, Bi ūt̄i potes pr̄o
īfto max̄imo ImmoWHt ū hune non h[^]* b̄eas. Sed id haec r̄equiritur quod
Zod. A, &Zod. ā flnt ab īnv̄icem feparati , & léor̄fim mover̄i poffint. Quae
it>ī diāa lunt de i Stella Li[^]ra currente cum Sole, & eod̄em ciim illo Cradus
notante, e[^]dem hiq̄ proport̄ionaliter applicanda funt Stellis. quœin Boréal}
|>arre vel currunt ciim īnitio Liera [^] vel parum ab illo 4īftant. Habemus h̄ic
īnter Boréales ftellam ClaraxHm p̄de Cajfiopaa^{^^} quœ īnit̄ium Libra
praeceduuno Gradtl 3p. min & in Caphe 4i[^]dromed<t[^] quae duobus Gradi*
bus; & aliag quac iHbd fequuntur, ormaḡisdiftant . m PèéTHs Cajfiop\ea /♦
gh i. min. & SteHam P(4arm\ quœ 7. gr. jz m̄in- Si īnit̄io i/[^]r[^] pxo h̄is-uti
vola* iīlUs, debemus aftendere an illud praBcedant, an lequaa* tue: Si
praBcedant,tanium addere quantum praeceduiit[^] fl fequantur, tantum
fubtrahere. Sed quia Mer̄idianus Stellas Polar̄is d̄ifficulter cog» hofcitur, ob
ejus modicam l Polo diflamiam,fac̄fia# num ad Grad. 7. m̄in. jx. Lihra[^]
&aliudat eumdem Gradum yfnir[^]ij, & liaea ab une ad akeram duôa vel
īntaḡinau, tranficr̄fs pet SteUam iftār̄i & Polum, tib̄i dabit ejus Mer
idknum, & oftendet aafupr[^],» vdt̄nfta, Tclad latus PoHexift̄ar,hab̄ito
re(pe(\$uad̄fignunl uod utr̄imque īn L/[^]tf & īn [^]w/r pofitum eft. Nota autem
quod tam itta Stella Polaf̄ls,quāmal!fe, habeant quafi duplicem Meridianum,
unumiupra Pol̄tim, aīterum infra eumdem: * quodinier uirumq̄s fit magna
difFerent̄ia quoad Gradus Longitudinisquos notant, cum fuperior & īnferior
differ[^]H niediā partie CircuH[^] id eft 180 gradibus» Unde dep̄iSole
ingredieme fignum CapHcorni , ipfa vf̄deiur in Meiidiāno fiiperior̄i, notāt
iis qui īplam ībf vide[^] Gradum 90. Longitud̄inis ; dum autem vid̄tiuç i«
i»fcrioci IUMat Gradus 270. Quoad Secundum ^{^^}«w, JHeh̄ic ct̄iaia habet le,
cum , ponendo Zodi[^]cum Mobilefn R. ad 6. vcf̄pert̄tiām, cum Crrcuio
Longiūem̄is A» & t[^]crando hic ni ubi dé ifto modo diāum cft , habd)is
eod̄em ef* ft̄aus. V:(? Si Sole exiilente in 2fi Gr[^]du Capricér̄m ni[^] hune
Gradum in Zodiaco mqr»īli ip[^]venium ponas id diāam horam, videbis in
McadioQ in&r̄ior̄i£;r. D trsmam Digitized byLjOOQlC /[^]

The text on this page is estimated to be only 9.00% accurate

%6 Magnum et Universale irémam Caudis urja Majoris^ five
equum ultimumno^ tantem 270, gr, pro illis qui vident eani înMerîdiano
fuo, in atîo hcmifphaerîo quod eft înfra nos. Si verq Sole exîlente in ij.
gradu Camri^ hune G'raduro punas ad didam horam, videbis Sttllam diâam
ftare ad Meridiatmm fuperius, notantem 90. gr. Long, pro îiobis. Et idtm eft
de aliîs : obferva amena lèmpet aa Gradus compeiani noftro, vel inferîori
hemilphaerio. Quoad lerium; idem tft : fi enim verfus Pulum ▼ideas, in
tuo Merîdiano luperîus Stellam notanÎ5& Gradus quos habet în A.R.
abftahas à Gradîbus quos tune abfoluit Sol ab îniuo Lihie ^ numerus
qûiien.a* Bct , eft numerus Graduum Longitudînis !U« in ifto loto. y.G. in
da(o tXtmplo : vides didam Stellam Extre^ îHam Caud^^c^ în tuo
Merrdiano, qu» in die fuO habet zof. gra. h Sol m Inppono, eiîftens în if.gr.
f:mcTi habét 295-. -gradus; W abhis abftahas gradus Stellae % reftant 90.
pro tua Longitudine. J^QUiE STIO INCIDENTALISi J^;« per SteUas fcjjit
cognojci hora de noiîe], - "[^" vîdetût aliquis de hoc haâenus dubîtaffe;
unde JL^ ab aniiquo fuerunt adinventâ varia înflrumenta^ -ad
hocdefervientîa: &înter caetera unum ànauîismultum ufîarum, quod
NocTURLABîUMVocant Verum .dum hoc îpfîim bene conlîderatur, videtur
fallax&dciccpîorium: ratio eft, quia în eo Meridiani feu Line« -horarum,
reâà ex eenrro luo currunt,etiam Meridia• ni urriulque horae 6 qui lermirari
deberent in pui/éîs .Àrietisà.Lfhra în^quinoâali, fed numquam ad ea
ifcrvenire poûunt, imo quô longîus protrahuntur, cô longîus ab eis diftant,
etîamfi Infrumentum reneatur -îiiclinatum : I Weridiani horarîi în
Fîrmiimento Cœlî -cmnes arcuatim & oblique currunt, ficut videreeft,&
v^nnunrur în parte convexâ Sp/iaer». Undevideeturne-îCeflario debere
întercedere erroî , qui & mâiîrèceprç* • liendiiur circautramque horam 6,
undciftorelidoponî* r mm aliud uovunu Digitized byLjOOQlC

The text on this page is estimated to be only 9.51% accurate

ASTROLABIUM, ii JReJP. fi? ificû , ifuo^ non folum fer Stel^
las cognofcatur hara de mBe , Jed efiam ftfod ipfa nobis fini tè
ferviant^roHorolo^ gto fulcherrimo , tè certijftmo , Quôkl nec defeâam
paticur, née vetiinate oDrruin* pitur, necufu atteritur* nec pretio aliquo
eiiiturtiir<c))foprietate ad ufom iinius reltringitor, fed omnibui &
o];nniuiin ufQi exponitur* Schéma, & quafi itnaginem ejns habes infra ia
AsTROLABio Catholico, 10 Cîtculo 24. hofaruift cam Zodiaco inobilU.
\\x>^7i qui horas odendk èR Gnidjis ^Zodiac! io auo Sol exiût^ mediaute
StcMà nota confpeâa in Meridiana Itaque dum per Stellam nocam
çon^eâam in Me* Hdiano vis (cire horam, quere illam Stellam in 2^ diaoo
moMUA. vel B reft)eâ!ve, & inrentam ponè ad horam ii. & Gradua in quo
Sol eft, repettus ia ZodiacO|ftabitad horam qu» tunç e(l« Pro parte Au*
ftrali utere ZodiacD A» cnm horis Majoribus : pro poreali Zod. fi» cum
minoribus. S.Q. Vides Sirtum in tuo Meridiano dom Sol eft în 8» gr
ÂfM^riû qufln^ Sirium in 21odia<;o mobili À Se pone ad horam iv & locus
Solisf id eA» 8. ^ 4* quarii odéndet tihi horam lo. Majoreiii» Et iic agç cum
omnibus Scellis dum func I9 NJcridiano, io par* te Auftrali. DuQd autem
convertis teadSrptenitr{onalem,utere Zddiaco H. cum horîs hiinorfbus. V*
G. vides in Me» ridiano fupeilori Stellam Polarem» dum Sol efi ingra*» du
8. Scarpil; quasre Stellam hanc in Zod. R. & po« siead II. & gradua ille 8.
Scorfii^ in eodem Zodiaoo odendet tibl horam 10. minorem* Quod (i
camdem Stellam videas in Meridiano infe-» riori : qusnre ut ante fn pone ad
i). inferiorem » &: gradus Solis oftendet tîbî caimdem horam. Eccequam
J>ulchrè Polus Borcalîs ab omnî parte î^orâs indicct. Si autem abfque
infrumertohoc, fcîre relis hoiam, Tide quot Gradus in die fuo habes^t Stella
, & quot gradus habeat Sol ifto dte Si Spl p^ures habeat, vide yuH iUi fint,
& «01 teduca^ in hbras, ijr. gradus Tu* O ^ meado Digitized byLjOOQIC

The text on this page is estimated to be only 4.17% accurate

^t M^LjaiyM ET Universale mendp pro una lK>ra &c, & horas
reduâas abflrahe à li« 0 vro lMAkhc paucîoreSi horas rcduâas addç «l
M«^d ilfbçs ^MMMi tioiaqi. » ttitudinis , is^ L^fwx l« f 90 fÿ^»^^ EX
iKiAetias 4{tiH€ pater^ qtiâtn mulripllclter, inft rtbflker, ^^erto.» Si«)li9
ab ^mnl porte jiobil ci» toBcUot Gtadus l«ongliudinis In tettu : J^e&u
vtdetf an Latitudînis jçrâdus etkm oQeii<Um. Jaoikuémis cjhm dat. Eft
oertum & in^ubituip iq;^ud omnet. SI cnim t^iekamns quot gradibus in
Meridiano elevaia fit fuf pra Horizontem, & ab his abftrtham^s gradus
decli* oarionis tpfios, îx hfc fit BQrealis, vel flis addamui fi (k At:^(lrali\$9
(tabeint(s q\toC ^radibvs trlevacut rit JEufaoéUaHt • & cjinc videndo ftior
gfa4ibita ejul •levatio dittet à90t< habemm gradua Jt^atitjidiis , fctt
Ekfationis Polû Unde \$t CONCLUSIO GENERALIS. PEr «nom
eéfmdemquf SteUAm pogUmuA fitTSt 8? digito ofiendffw m ^m pnm^ê
Spher^ velmunM df fêHo finusté Ratio eft quia a4 hoc (Ait opiines fàud
debcni) iithii alîud requirità «^uam qmad fci^mna gi:ad9(n I^Oi^ gitudinis
, & Latitaoiois : ubi eoit^ vf^ aUma «bi». fcindit vel pertraoiit 9 itM fiumi»
^i Digitized byLjOOQlC

The text on this page is estimated to be only 5.53% accurate

A 3*1 Céhmwa L iudkat eatu. i[Mos hciilH tdrum hi éms
addufttur Gradus ^' §émtiim à Poli. V. Boreaùffi , ^m 1700 Borealiol ^
Clartori! Pcdus <J Auftralki Stella P< Cîngulul Inxrîda Caput H Clarior 1 m
Ao Clarior In capit< Clarior Clarior +^ 60.1 Àldeban Auri^s I Pes fini
SiniSer In extre Prîor h Mçdia Scqùcw DeiteJDexier ^9a. Canopm OaHor
Slrhts Î! vCapuc Prociom Caput à I II G. nu « 3 0 M b 3 : 1 30 c 3 y I d 3 f »
e 3 7 3» f a 7 3f { 2 21 0 %■ ■ if I i 3 i7 r 1 bis II 6 12 0 C! 1 if 30 -\^ 24 30'
a il' 4^ bl I l^ p c il If Q d I tf 0 « i 17 0 f ,x 19 »f gja 20 0 /hipi '11 iî î-iU'S
4"-3o k 1 2if 0 « X 4 0 b a ôis -cl 7 30 18 30 1 1 » ao 30 f X 21 30 c Ih
bas ui i..v^ -«• ibin / I ou ,! . ^ - - : fti -■ ' ' • -' - ■ ?' ,\ ■ -•: <, 1 If?;' o~to f:
fi-: ti jop .' *g« ; ' f .- ■ ■ : ^ -, ; K' ri ix../ ; ;. ...>n r»/ ^ . . \ - - .. ,-. fa
Digitized byLjOOQlC

The text on this page is estimated to be only 7.75% accurate

Î Magnum eî Universale jOnfideratis omnibus qus fuperius diâa & probata t de Longitudîne cognblcenda pcr Scellas, inveiio uc aliquid magnî momeirtî, quod ip(i\$ mediantî* affcqui poflumus, Icîlicet euiendañorîem errorum deprchendunmr in Geographiâ communîter ulita« & modun^ condituendi novam, cœlo & aflris m uibus Gonformem» Sh itaqoe de his ftquens * kPPENDIX GEOGRAPHICA. wmodo Longitudine per Stellas inventa^ 'ô£înt emendari errores GeograJ^hia com-^ . munis y ^ nova Jub^itui y cœlo c on* 'i ' ^EoGRAPttiA, quss eft Locorum tkkndt TerraqUétî Jf-ftcundum eorum Lnngtûdinem y Latitudinem de»
//^/*o,reseft de fe pulchra & utilis; fed cômunnîs çrela eft, quod -fit iwcerta, vitiora, imperkâa^ ac riis erroribus obnoxia t licet, meo. judicio, imm» latn fuerit melior & corredion Numquam habuft am coiitpletam perfeâionem; fed ab imperfeâb & odico incepîi, & paulatîm progrefTa eft, donec ad iHim quem modo habet , pcrvcuerit; <jui tamen à talî pericftione longe abeft. Deffâus ejts & errorci maxime patent ex dîflferen* kqupe înier eas rcepiitur, maxime inter Veieres & ecentiores. R. P. Kirchcrîus De Ane màgnettcâ lib. part^ f. in Procmio, dîcit: S't quisvoluerst Tabulas tokmaHa\$ (um modemu lemiter €onferrey in fila I»^ te Orientalis or à repenet is , modernaî à Ptolomakis (prépare ^modoio.^ m9do'jp: ^àtit quvd dicerepudet^fo^ adiius (qui ad Girculum -Equincâiaiem facerent ille milHana FJandrica) ut jam mérita de veraLo* rum iBorum Lohgitudine dubitare debeamus* Pfrgitre* tando eos qui iUorum difcrepantiam onam voluni : eo, qucdPtoloirxus primam Meridianum în ultî*» à Çanarijâ pcf-tierît; Recentîorts vero in Inlulîs Awbus , quas confiât if tantum gradibm Occidentaares ipfis Caaraiis : Quod îta fît, quomodo fietî - , poieft.

Digitized by Google

The text on this page is estimated to be only 5.61% accurate

A\$ f Rp LAPIUM JI Îotcii^ ut Receniiures compltébatur Gradibus
i8qL QC quod Ptolomeus ^if- auta-gf» complexus est? g foret utifti volant,
cptn conçor4i difcor^ia procedere deberent Nec tantum Veterps diferep^nt à
Receationibus, fed hi etiam inier fe; ic; i uc cirça Longitudinem Ufbts Çûét
in Indiîs orientaiibus , uem /li^f^/' Pouus Chi* ^eiifis 5 aliorumque
pr^cîpaorum locorum Oriends^ f nter le differantad if* circicer âra4us. £x
quîbus a*]tiTquequ4s allegari poiTent, patet quod de Longitu* dîne
Locorum in Tabulis communiter pofiiâ y meriro 4uDuare debcamos; p^tet
çdara neçtSItas prsdiâsE» Piendatîotûs* Hanc oeceflitatem pjrobat etiam
prsfatus Author, ref* pcâu Aftrologi>, hoc modo: Mirant ur muJtî, in* quc,
car muU« difciplinæ adeo fiât vitiof« & imperfca» : car Tabul» motuum
cœkdiiim Preucenics , Alponfinæ, Tychouic». aliaeqe dmilestot erroribus.,
çtîam port adeo exquisita inrtrumentoram fupelleâile faélas obfcivatione^,
obooiî» fitit , & libî neuti quam confiantes: AUis quidem errorum cautâm
fellacia in^rumeiitorum. nonnuîis artificum induftriie, quibu»dam
Parallaîcis decepçionibus , aliîs alias caulas ad* Icribentîbus; ego certe ad
Lidium Lapidem memora» ta revoçans, aullam diâorum «rrorum caufam
aliarn tnvcnio, nifi înemendatam & vitiofiffimam, terrenî Globî, qui
caeterorum omnium velutîbalis eft, &faii* ^atnenum, hue ufqije à diverfis
peraâam defcriprio# nem.* quomodo emm iuDdamento vacillante fuper»
ftrué^a ei cœkftia fibi coa(lare poteruntPNotavît hoc ^ Glavius , q^i
dié^orum errorum caufam aliam non dat, niî quod cœleflium motuum
calculas, incerto iFundamento innitens, Longitudini locorum verae non
îindequaque refpondeat: Iple quoque Tycho aflcrit, fruflracœicftes motus
quempdam, non reaè explorât» çerto Meridiano , ad cuju\$ Longitudinem
pr«citam illos accommodet, inveftîgate. Teftamur hoc quotluot Tabulis
AftfDDomicis condendi\$ daat operam.! ta (lie RP. qui paulo poft fubdt:
Hqs igitur grav'tffimof errores , cum ^Ijmq^ akhinc mmm mta^ fr^fiafftes
mtéirm^ Qç. fro cnri fîngulari , 5/ mffeau Digitized byLjOOQlC

The text on this page is estimated to be only 17.18% accurate

)4 . MAèwk ET Univers ALE é^éStu ptnè iffcreAMi^ qno boni
eommums promùiiènè taugmnter^ smrnmsd hmjufmoS nobittjjimée
dijcipun^e ififtémrathnem^firioj confiamter ^ inexpUbili qmdam
exefuemUoperisdeJiécriù^ aàjeeerumf. Quid illiegerint^ & qaid ille R.P.
teQtaverJt, loco fupra cirato videre licett fed déplorât quod negotium
adeoglprioifum re* snoram pafTam fit. Unde exclamât; O utinamnovùs
aliquois Atlas cum Hercule exoriretQr|CQ)Usinduftria & fiimp^ibus
Geographicum hoc opos reftairari poflit! vtinam novl Alexandri, Piolom«i,
Gregorî» Rodul* phi, Alphonfi prodirent, qui ficut Ariftotelicos , Hy
parchicos, Lelianôs, Tycbonicos conatus cum «terni nominis gloria,& totius
podcritatis emolomento;qul fumpribts , qui prcroiorum incitamentis
magnifiée pro* moverunt ; ita& terrenî mundi emendationem aggre*
dieQtes, à\SA% modis promoverent, &c. Hoc nobis nunc etiam optandum
eft; ut fc* novi tUqui fimîlesmafirtiiviri oriantur, qui auâoritate, in* duuria,
fumptibus, & praenniorum incitamentis , tan* tum opuf promoverent ,
poftquam jam invenimus snodum & médium detegendî errorrei
Geographicos , cofque corrigendî;imo novam Geographicam mundi
dcfcriptionem factendi , feu novum, iit ita dicam , mun* dum, dirpoiitum
per omnia juxta Gœli & Stellarum confitutionem & exigentiam; StellîlB
nobis in his plus auxilii prsQantibus, quâm aliàs omnis humana poflec
induftria* ^ « Pctes L QuônâmodA iftaemendatio fieri debeai?
Refpondeo generaliter, quod fieri debeat per multi* plices ac diligentes
obrervationes liongitudinis, quant Stelle nobis indicam, faâas ab omni parte
in prscipuis civiutibus, tenfs, in(ulis & locîs notabilioribss, terri manque, ter
totum mundum, idque juxra multiplie!* tatem errorum & defeâuum, qui
efle poffiint in tanto ambitu hujus mundi; ita ut hoc non fit opus urius diei
vel hominis, vel duorum ; fed iota Rerpublica Mathematicorum in hfs
confpirare deberet , & obfer* ▼ationes i'uas invicem communicare , ut
juxta bas Geo • graphia moderna emendecur i vel fi placeat, nova &
prascifa confituatur. Fêtes IL Quônâmodo nova Geographia fieri de^
beat? _ • Refpon* Digitized byLjOOQlC

The text on this page is estimated to be only 7.42% accurate

.Relpondco, acciRieBdam Iphcram, rotuiidim} vd diiplex
hcmifph«riom planum, ea^{ae} nocata lui\$ Meri4)>uiis ad la gr. dittinâis,
cum .CircuHs patelidis liâthudîni\$,iiS[Zodiaco, aliîfquc.i;[^] moris cft*
Prinxuç aaum MwcHaims Oricni^lg^Cattl incîdkinHo-i ii%ontefli Sphsrà
Rca») débet efleprincîpiumÇirçull: Loagicadmi\$,à4aoîncipiendototu\$
mundat divià^{iur} in 36o« p^{tes} fea (iradus squalcs jcurrences[^] vertus ocr
cidentcm t ^ ille quidem poni débet ubi wima Stella \ Libra i[^] Sept exiftens
in A.R videttir in Meridiano». qui cft Meridianus nofter quem hic Brugis
habe^{nus}, . juxtfi fupradîâa.* & oiMîaalîa iQc^qi» lunt ineodem
Meridiano , & Gradu. uponi debent per refpcaum[^]. îUum; îiein §1 omnia
alia Joca ad fuum qi^{ae}qucMçf[^] rîdîanumj i Çf^{*^i^m} qujBin Srelte
indicanit .• d^m <[^] v[^] ill» Gi)adum Lionfi;itadiais oftenduntf noiulofteii[^]
du/ît loca in co ponenda , qu* fîjpî «a |n quîbus vî** 4çniur in Meridiano :
&.in hoc maxime laborare de* bêt induOria Artificisy ut omnia fuo Joco
ponant^{i^}. \ Et faoè hvCfîfive emendâtîp vetofis, five uav®, fâl>ncafîQ,
non eri(ppus tam l!9iQg\ii9.& mole/lum,, quam aliquis poflèt putare: Ptimè
quia navigatio aî' omn[^] mundi[^]partes (modo ita çonrunums) occaiipi[^]eai
prebet invefligandî[^]Longitudinem GC[^]I[^]itudinem niul-[^]torum locortihi,
quàm & annôtarc 'èt)ortct. Secândâ[^] etîam itineiiiitio'p&r lotum mundam;
7[^]/o> etiam communicatio petrlitteras, per quan[^]ctiàm remo(iiîî« morum
locorum "Longitudioem fcire poiTumus, dum nobis fcribont quao) Stellam
vidednt in fuo Meridiano[^] &quo<liV:>iaBC enfin due ad îd fufficîunL
Q«arfè[^] quia dum Lodgttitidinem loci . aliçmus ailèqmmur» multum
jttvat.ifotitia quam haberè poflumus per expc« fientiam, jde lita locorum
vicinorum , &(f. Quantum ad obfervationes Eclypfium Luaarlum p illas in
propofito nott mulmm juvare poflunt.* Licet cuim ex difieteiîria hbrarum
per eas cognpfci poffic diftantia unms loci ab alio: hoc tamenfolumât,quaa«
do omnia eilaâe fiunt (tam refpeâu hors & minuto* rumejus, qu in utroque
loco repérituvⁱ quam in« ftrumentor]lim, eorumque legitimo ùfujquod raro
fit. Et fuppoljto quod omnia bene & légitimé fie[^]fut, Ibiuni MTervire
poflumi quando unius loci légitima Longi* *.• ■ ^ i Wdo Digitized
byLjOOQlC

The text on this page is estimated to be only 14.34% accurate

)4 MAÈWCAf ET UNiVÈRSALÉ éff^u uni iffcreéMi^ qno boni
eommunis promùitéffè UufUffter^ ëmrnufH dd bmjnfinùdi nMUJJim^
dijcipun^ infiuirathnem.firfo, fonftamtfr Û? inexpUbib quodam
exequemBoperis defid^riù , adjtceruttt. Quid illi cgcrin t, & quid ille R.P*
icnttvcrît, loco fupra citato vidcre lictxi fcd déplorât quod negotium
adieoglrlofuin re* moram paffam fit. Unde exclamât; O mtnamnovùs
aliquis Atlas cum Hercule exoriretur,cuîusînduftria& ftimp^tibus
Geographicum hoc opus rcftairarl poffit I vtinam novî Alexandrie
Ptolom«i, GregorlivRodul* phîi Alphonfi prodirent, qui ficut Ariftotelicos »
Hy^ parchîcos, LcHanos, Tychonicos conatuscum acterni nomînîs gloriâ,&
totius pofteritatis emolumento i qui fumpdbtts , quâ prwmtbrum
incitamentis magnifiée pro* moverunt ; ita& terrenî mundî emendatlonem
aggredicQtes, diôîs modîs promovrent, &c. Hocnobisnunc eilam optandum
eft; ut fc. novi tMquî fimîlcsmaRnîviriorîantur, qui auâoritate, in* duôrîa,
(hmptibas, & pr«miorum incitamentis » tan* tum opus promovrent ,
poftquam jam îvenimus modum & médium detegendî errorci
Geographicos . Eofquconigendî;îmonovam Geographicam mundi
dcfcríptionem fccîendî , feu novum, ut îta dîcam , mun* dum, dîfpofitum
per omnia juxta Ckell & Steltoum conftitutionem & exîgentlam; StelHs
nobis in his plus àuxilii pr«ftantîbu\$, quam aliàs omnîs humana poflet '
Pctes L Quônâmodoft iftaemcndatio fieri debeat? Rcſpondeo generalîter,
quod fieri debeat per multi* •lîces ac diligentes obſervationes liongirudinis,
quam Stelle nobis indicam, faâas ab omni parte mpraecipuis civitatibus,
terris, inlulîs & loclç notabîlioribus, terret manque, ter totum mundum, idque
juxta multiplici* tatem errorum & defeauum, qui eflc poffiint in tamo
ambitu hujus mundi; ita ut hoc non fit opus urius diei vel hominis, vel
duorum ; fcd iota RefpubHca Mathematicorum in his confpirare deberet , «
obterTationes fuas invicem communicare , ut juxta bas Cjcoj graphia
moderna emendctur , vel fi ptaceat, nova & prflBcifa coriftituaîun ^ .^ . i- . j
Petcs IL Quônâmodo uova Gcographia "«V , *^^ * RefponDigitized
byLjOOQlC

The text on this page is estimated to be only 10.37% accurate

ASTROLABIUM ^ " 3^^ Respondcoi accipiendam Iptoram
rotundani) yel duplex hemifph»rittin planum, caque notata luis MerWfanis
ad lo, gr* dilliiiâis , cum Girculis pardklî» Laticudhiis, & Zodiaco, aliifque
ut moris c(U^ Pn* mus autem M^ridiauus Oricnialîs (qui incidinnHo-î
rîVatem Sphœrà Redae) debeieffe principiumCircull
Liougitudinis,àquoindpiendotoius mundu^ diiridaïur in 360- partes feu
Gradus aequales çurrenics veriùsoccidentem : ^ ille quidem poni débet ubi
ptimaSteila ; Liera aj. Sept exiftens in A.R videtur in Mendiano, qui eft
Meridianus nofter quem hic Brugis haoemus, luxta fupradiâa.' & omniâaiâ
locaquae lunt in eoûein Meridiaiio , & Gradu i. poni debent pcr rcipedum ad
illum; item & omnia alia loca ad fuuryi quæque Me» ridianum, & Gradum
quem Stellas indicant ; dmn enim illae Gradum Longitudiais oftendunt,
nmuloftenduni loca in co ponenda , quae funt ea in quibus vi« deniur in
Merîdiano : & in hoc maxime laborare de* tel itjduftria Artîficis , ut omnia
fuo Joco ponanmr. El fane hmc y five emcndatio veteris, iîve nov».
fabricatio, non erit opus tam Ipngum & moleilum, quam aliquis poflèt
putare: Primé quâa navigatio ad omnes mundi partes (modo îta commuais
)occaiioacni praebeet inveftîgandi Longitudîuem & Latitudîaem multorum
locorum, quam & annotarc opoxteu Secmaà^ etiam itîneratio per totum
mundnm ; lèrtio^ etiaoi communicatio per, lîtteras , per quam ctîam
remouliimorum locorum Longitudinem icîrc pofTumus, dum nobîs feribunt
quamSteliamvidetint infuoMeridiano, & quo^iie: haec enim duo ad îd
fufiiciunt. , Quarte^ quâa dum Longitudinem loci alicujus alftquimur,
multum juvat notiia quam habere poflumus pcr expc* tientiam^ de fitu
locorum vicînorum , &c. Quantum ad obfervaiiones Ecÿpfium Lunarium t
îUae in propolito non multum juvare poilûnC* Licet enim ex diflerentia
horarum per cas cognolci poffit diftantia unius loci ab alio.* hoc
tamenrolumât,quaa* do omnia exaâe fiunt (tam refpeâu horæ & miauto*
rumejus, quae in utroque loco reperitur, quam in» frumentorum, eorumque
legitîmo ufu^quod raro fit. Et fupposito quod omnia bene & légitimé fiet^nt,
lolum defervire polluat /quando unius loci légitima Longi* ■ . - tudo
Digitized by LjOOQIC

The text on this page is estimated to be only 3.69% accurate

3^ Maciww è* Dîçfrits^LÉr tudo cognofi:hur« Hltf enim
Eclypfes pcr fe non n<M tant loeoium liongtudiaem, fed dîflamitdi*
Oponct hic auttin etiam et bme noiare^quod Doit folum Longitudo locorutfi
cbfervari d«beai,fedeHainf Latitudo eorum: cum héc etiam în rnuUis
locisvi* ttola fit> at patet «x tôt dîfFerentibus opimonibu\$circë\
Latitudinem praîcfpuâriitn Urbium: forte qahm:2tc^ cepta ett per Stellain
Polarem > non advertondo a»! effet inira Polum, an fupra, an ad laiera ejxis
: vel (1 aliôr modo , ex defeâa inftnîmentorum , vel eorum noa^ I^îtîmo ufu.
Ecce L.B. hié habcs p«r Stcitafr, qûod ab ils rittm'»^qttam exp*.:âaveras,
nec egô etîam aiite compofitioneili* hlitus Aftrolabii. Poffent bis mulia
adjungi(ita ut ia JuflQOi volumen excrefcerent) lam et patte marerh^,tfttam
inftumentorum , qua hic neceflarf» veï utilîaf^ ftrent , & omn\\\$t clarè ob
oculos ponerent ; feâ Tem* pus ad hacc, média, & occafio nobîs deâdunt*
Quf novemnt artem, facHe poteium et ils quaefdîâ^i (uiit^ ilipra memorata
inftramenta conficere , in iaminîs fcalpere, &c, L.B, his omnibus uieie ,
ftuei^e, vaVe. *<:# iX?hlCAi Digitized byLjOOQlC



The text on this page is estimated to be only 11.03% accurate

EXPLICATIO ; SEQUENTIS INSTRUMENTI < * i S E U ? i * ' - i i * i ^ ASTROLABII CATHOLICI INfrutnctum frequens (quod ante conceptum & natum præcedentem Libellum taliter nominatum est) repræsentat totum quasi Univerſum, uſque ad ſuperficiem convexam Firinamenſi ; unde & Catholiscum feu Univerſate dicitur : & adhuc maioriâ intellegendas utiliffimum est , iiii Heceirariuii ; maxime ad conficiendos prædicos modos, & addemontMivè, & quæ iî ad beuûm probandam veritatem eorum, quæ de Longitudine per ſtellas cognoscendi hæc dixerim. Constat variis Circulis, quorum ■ Primus & extremus ac maximus est Circulus Zodiaci IMMOBILIS : quæ tamen magnus cunctis deberet , ut iam præponi poſſent omnes Stellæ notabiliores (faltemquæ iunt in præcedenti Tabula earum) hæcque ad lûm Signum & Gradum. Repreſentat curſum Solis & Zodiacum ; fed Immobilem Vnde iſte de hoc diximus §. 6. & ſequens » & 14. & oftendit ubi ita ſit Sol iſtius diebus, mediatiſe in iſto Libræ cythra quocurrir, dum Gradus Zodiaci mobilis, in quo Sol eſt, ponitur ad Horizontem ad horam 6. Matutinam. Oftendit etiam tiam (imul Gradum Longitudinis in terra, non ſolum per i. Stellam L/r**, fed etiam per omnes alias, ut dictum eſt folio 15. & 17. Circulus hæc concipitur utini* mobilis & fixus, ſicut & duo frequentes. Circulus IL qui ſequitur, eſt CIRCULUS Longitudinis, tam FeterUy per Gradus & números ab occaſu in ortum currentis ; quam Novæ currentis aſ ortu in occumt qui funt etiam Gradus Citenl] teitarum , qui conveniunt cum Gradibus Zodiaci, duntaxat ſia via omnes numeraricur lo. 20. 30, 40 » 50 : &c. Noveri Longitudinis novæ (equuntur, & junguntur numeris Longitudinis antiquæ, & debent accipi quæſtarent in loco eorum, & faciunt Circulum Stellarum immobilem ſcundum Longitudinem novam. Digitized by LjOOQIC

The text on this page is estimated to be only 8.10% accurate

Et ÈxPLĪCATia y-^ ^ Cfrcitlus Jll. at JDikjuJM JĒt ^uh^sivu
Akmi ,vGtà^ dibus Zodiſci accommodatorum: qualem fi accura* tioTi
longe iùçfiid ^tiûectc ve)is, divîde Circûbiin m 36a gr. & ÎDitià menlmm
fiatuantur in hb ûradibus & mioutis. Grad. min. C?rad. min. Julîus 99 JO .
JanuaHus 281 jo Februacius 314 30 Auguſt. 130 30 Septemb, 15-9 40
Oaober 187 o Novemb. ^16 o Decemb. 247 10 ^;V^ Mariius 34: ^ 10 } ^l" -
Aprilîs 10 10 *. \ Majus 38 o ^" Junius ^ 68 10 Spatia vero cuique menſi
reſpondentiâ dîvidanturîn tôt partes quot funt dies Menſis. Ponatur initium
[Lthrtt ad 23- Sept. In anno Biſſextilî poſt 28 Febr-» oportet addcre unum
Dîein» Punâii in iTiûltîs dièbus poſita, ſignant \hl eilè lîtteram doniinaléra
D. numeri înfra)oſiu oftendunt 'feda tnobilîa & domimcas; led non lîne
indruâione aliàs dandâ. . ', Cîrculus IV. eſt Cire, 24. HoRARum.
Unufquîſ;que hâs ita acdpere. débet > quali (upcrîor 12. foret ia luo
Meridîano, & alîaa omnes ab utraque parte, ur .poſitx funt, Horjs majoribus
litteris notatis, curren* tificus ab Ortu îñ Occafum, uti oportet cuni Zodiaco
;iTiobilî A. currente à (îniOra ad dexteram. aliis horis eux iiotantur parvis
HricrUcapitalibus» utendum cum IZodiaco mobili B,, &c. duin mediœ
horſe îñ 3» partes .^ividuntur, liſe valent f mini^tii Parvae cyfrae quae ha*
'btntur Tupra lieras, oftendunt teropus Solis ab Àriete *tlciUe ab -£V^r^w;
& tempus Stellarum à Ltbra incî* piendo; cui dùm adduntur 12I, habetur
ctiam teirpus Soiis: quod delcivit ad fçiendam horam de noae, mcre nauîis
uſitato & note, Circûſus V: uſiii quotidiaîio accommodus, eſt Zo* 'DIACUS
MbBiUS. De quQ vide dida \$. 6. Cîrculus hic "oftendit nofcîs curlum Solis,
àGradus îñ quibuseſt : & dum Gràduitî in quo eſt Sol, ponîmusad
horizontem '(c. lîneam tracfeuntem reſpeâîve per horam 6. J to* tus
Zodiacus & Cîrculus Stellarum & Stellas cogneſ flan t ad Gradum
Longitudînîs cœleſtîs & terreſtrîs , quem tune occupant jùxtacurfum
annuum i ita ut fém* Digitized byLjOOQlC

The text on this page is estimated to be only 15.07% accurate

AsTRafcABll GATHOLé |^ per ad oculum videre
poffimusqaemGradumquerlibcc Stella in hoc Zodiaco poiitaqudtidie noter
in cœk>& in terra: & hoc ita certo & infidlibiliter» ut aliter cfie taon poffity
fiante carfu Solis & Stell^um à Dec jam ordinato&prsefixorper quod etiam
demonfiratifèpro-' barur veritas tertii modi fuperîus dati. Accipe enlm
<^uemvis Gradum in quo Sol lit, & qaamvisfSteilam ibi pofitam in A.R.« &
videbis eam fiare ad totGradus Longitudinis 9 quòt invenies operando juxta
diâom moduni» 2Miâcohuicàdjuiigitar feu fubditur Circulas Stft« LARUM
MoBiLis jôo» Graduum» qui.tibi per nume# h>s eorum indicat , prinb5|
qubt Gradibus ab initio LfàTét difiet quilibét Gradus Zpdiaicy five quot
Gra-' dus abfolverit Sol ab initio ejost fecundô, quotGra* dus habeat in
Circulofuo quolibet Stella, que ibidem Ikmpcr eft in A.R. qui abitrabi
debent k GradibusSo^ lis« Itaque dum aliquâ Stella noti uti volumus , debe^
*^xnu\$ videre in quo ligno 2Ajdiact & Gradu cmfdem, Tpon^tVLT in
Itaiu/a SuHarum , fupra pofita, ce illum quaererein Zodiâco moBili; & li
Stella ob parvitateni infirumentu ib! non (it notacai debemus Graduai iftum
pro ipfa Stella accipere ; & hoç diligenter notato vide* Tè qufs numéros
illircfrondcat in adjunûo Circulo ^telJarum , & hîc cft A. R. ipfius. Numéros
ille etianî 'îndîcat quot Gradibus Sol procefferît ab initio £/*r<, ;dum dl in
.ifto Gradu Zodlaci. Et fie habes locum Soiis &StellaB,jK Gradus eorum
abfqe alio computu. Quod fi fit idem numéros utriufque, Gradibus Stells
âblhaâis, nihîl manetr unde fèquîtur quod fit in initio Circuli Longitudinis, ;
Verum hic notandum eftj quod licet Stellae femper •currant ab Ûrietité in
Occidentem, quod, înquam,' curfus ilJe nobîs non fempér eodem
modoproponatur, fed aliquàodô diverfo, juxta dîverfîtatcm
locivdconTtitutionis rioftr», Dum ab hac, parte -ffiquinodialis nos ad illuih
tonVertimus, Stella â finiftra noftra currunt ad denatam*^ & jdem ç^* dum
nos vertimus M Polum auftraîiah£readàmétmclResabar&ra parte jE*
quinoaiâlîs,^i«iunc cônvertiiAus^ Stellac currunc a dextera nom^fiuifiram ;
fimilltër etjam dum nos vertimu^ad Pcltim Borealem» Hi -duo modi
cur"^1^^ \^ rcûdl Digitized byLjOOQlC

The text on this page is estimated to be only 14.29% accurate

40 ExPLI- ASTROLAB. CATHaL* lendî, non bene poffiint unîco
Zodiaco reprœientari^ ideo pofui duos juxta invîcem, Prhr feu Exurtar
Zpdiacus mobilis eft pro curlu à finîfra ad dexteram^ & notatur lîtera A. ad
iiiiium Lthra: fecundus eft pro curfu à dextera ad finiilram , & notatur
litterâ B. Zodiæus A. fcrvit etîam pro Polo Auftrâlî;fed B.^etiampro
Boreali, & quando ab altéra parte iEquînodialis exffens,te ad illum
convertis: quo calu , oportet utî declinatîone modb totaliter contrario;
fcilîcet Boreali tamquam Auftraîî, & Aufîrali tamquaîn Boreali, &
altitudinem Poli non accipere à Polo Boreali fed ab Auftrali, &c. *' Denique
duplîcî iftî Zodiaco mobiîî imponîtuT HeMîsphjrium terreſtre cum Circulo
Lmgîtdîms »ox/«*, notato dupHci ordîpe Graduum în diverfa ten^entium:
exterloc notatur lîtera A.; înterior vero liitera B. Dum uterîs Zodiaco mobili
A.» debes utî Ç^radibus notatis litterâ B. nîfî aliter notetut : & ècon» tra
cum Zodiaco B. , utere numeris A. Gradus utrîtxfque correfpondent reâe
Gradibus Gîrculî Stellarum & Zodiaci immobîlîs ; ficut duorum Circulorum
qut ftant ad invicem, & quorum Gradus dividuntur per lîneas reâas ei eodem
cenîro duâas. Non ponuntur hic Gradus Longîtudîms antiqux, quia in
Circulo IL pofîtî funt : fed fî eos etîambabere defîderes, âge hoc modo»
Pone Gradum 20* Lon» Îtîtudînis A. ad 6. horam matutinam, feu ad înitium
,tbra in Circulo maximo, & illos tibi dabît Et fie Meridianus noiter
3rugenfî\$, qui eft primusLongitadinis nov», ftabit ad lo, Longit, cbnîmuqîs
feu antîquaB,ud ponitur în Planîfphaeriis cortèdîoribus. Si vero velimus
habere Geographiamcorreâaiù^&Sphaeram reâam coelo conformem,
debemus hunç Meridianum noſtrumponere in Oriente, ad iuiiumL/^r-*C
perquod tranlire débet) cum omnibus locîs ad eum ipcâantrbus , & omnia
alia conformiter difponere; quia, Qui babct mum Gradum unîus Circuit^
Bahet àmn\$Sp^ . ^^-,., Digitized byLjOOQlC


Digitized by LjOOQlC


The text on this page is estimated to be only 0.40% accurate

^ 1v k1.i ^jC9fL iJ

The text on this page is estimated to be only 10.92% accurate

T' ■: { . *r Si* ^f<-r" \^L^ u. Digitized by VjOOQLC





The text on this page is estimated to be only 1.36% accurate

^m ^A'# •^ D igitizëa ^' V3 'O * -) 9n^^

The text on this page is estimated to be only 0.00% accurate

\:^-\ \# '^ "■ 'V* */ rf • t .. D^i^OOglp • ^

The text on this page is estimated to be only 0.00% accurate

'n ^■yq